


New Products for 2018





Bohning Archery is an industry-leading manufacturer of arrow building products. Located in Lake City, Michigan since 1946, Bohning stays true to its founding principles and continues to innovate new products that solve problems in the archery industry. The company maintains its long-standing commitment to excellence in customer service, manufacturing and delivery.

For tutorials, tech tips, and all the latest news, follow us on:










Table of Contents

Arrow Building	3
Wraps	13
Vanes	
Nocks	
String Care	29
Crossbow	
Bowfishing	
Quivers	35
Accessories	
Apparel	42
SnapFit™ Display	
Reference Guide	47



Contact

Address: 7361 N 7 Mile Rd, Lake City, MI 49651

Phone: 231.229.4247 Website: www.bohning.com E-mail: info@bohning.com

ARROW BUILDING





The "Stripper"

- Strips fletchings, glue and arrow wraps
- Safe cutting angle for all shaft types
- Replacement blades sold separately

1524 - Stripper

15240 - The "Stripper" Blades: 3pk



The "Strip-Pro"

- 2 blades for ergonomic versatility
- Heavy-duty handle and steel blade
- Easily strip your arrow shaft of fletchings, glue and arrow wraps
- Replacement blades sold separately

801025LM - Strip-Pro **801026 -** The "Strip-Pro" Blades: 3pk



Wrap Adhesive Remover

- Citrus-based cleaner removes wrap residue & other contaminants
- Spray shaft or paper towel with Wrap Adhesive Remover & wipe clean
- Rinse shaft with SSR & warm water before fletching
- Ground shipments only

1152 - 4 oz. (118 ml) Pump Bottle



SSR Arrow Shaft Cleaner

- Concentrated cleaning powder removes dirt, grease, residue & contaminants
- For use on carbon, aluminum & fiberglass shafts
- Just add water

801050 - Shaker Bottle

(Contains 4 oz of powder)

1155 - Pint

(Contains 1/2 teaspoon of powder - fill container with water & stir)

1156 - Quart

(Contains 1 teaspoon of powder - fill container with water & stir)

Arrow shafts can be soaked directly in pint and quart size containers







Dip Kit


- The kit includes 1 glass dip tube,
 1 arrow hanger, 2 pints of White Crest-Lac,
 2 pints of Clear Crest-Lac, & 3 Dip'n Plug rings
- Dip tube holds up to 4 arrows at a time
- Tube accommodates up to 11" (28cm) crown dip

801094 - Dip Kit 801095 - Dip Tube 801098 - Arrow Hanger 801100 - Dip'n Plug Ring

Professional Cresting Kit

- The kit includes:
 - One crester
 - Six 1 oz. jars of Crest-Lac paint: black, red, yellow, blue, silver, & gold
 - Four paint brushes: Hairline, 1/8" (3.18mm), 1/4" (6.35mm) & 1/2" (12.7mm)
- Adjustable arrow rotation speed of 130-440 RPM
- Ruler with English & metric doubles as pattern rest
- Carbon-brush motor that is quiet & durable
- International versions come with int. power supplies that accept 110 or 220V

801083 - Cresting Kit 801084 - Crester Only 801083INT - International Cresting Kit 801084INT - International Crester Only









LEARN ABOUT THE DIPPING AND CRESTING PROCESSCall us to receive a copy of the Tech Guide! 231-229-4247



A) Fletch-Lac Fluorescent Lacquer

- 2 to 3 times brighter than standard gloss colors
- For best results a white base coat is recommended
- For use with dipping or cresting

1412 - 1 oz. Jar

1109 - Pint

1110 - Quart

1111 - Gallon

D) Fletch-Lac Flat White

- Base coat that provides a matte finish
 - Provides maximum vane adhesion on any arrow shaft
 - For use with dipping or cresting

(B) Fletch-Lac Gloss Lacquer

• Dries to a hard, chip-resistant,

• For use with dipping or cresting

high-gloss finish

1412 - 1 oz. Jar

1105 - Pint

1106 - Quart

1107 - Gallon

1161 - Pint

1162 - Quart

1163 - Gallon

Fletch-Lac Metallic Lacquer


- Gold & silver metallic
- For use with dipping or cresting

1412 - 1 oz. Jar

1101 - Pint

1102 - Quart

1103 - Gallon





Fletch-Lac Coatings

Blue Clear (BC) & Clear (CL)

- Wood shaft seal coat or base dip for shafts to maximize adhesion
- Blue Clear produces sharper, brighter colors when dipped over white
- Not recommended for dipping over crested arrows
- Specify color when ordering

1124 - Pint

1120 - Pint



Fletch-Lac Thinners

- For use with all Fletch-Lac Products
- Not for use with adhesives

1131 - Pint

1132 - Quart

1133 - Gallon





Feather-Dri

- Protect your feathers from the weather
- · Colorless, odorless, water-repellent powder
- Includes bag to shake powder onto fletched feathers

1611 - Bottle





NEW Crest-Lac

- Acrylic water-based paint, non hazardous, no VOC
- Dries to a glossy, extremely hard layer on any shaft in 24-36 hours (based on humidity in drying area)
- Improves shaft appearance and fletching adhesion

301011 - 1 oz. Jar **301012 -** Quart **301013 -** Gallon





Dipping & Cresting Supplemental Parts



Cresting Brushes

- Bristles of Pony hair & Red Sable
- **1400 -** Hairline
- **1401 -** 1/8" (3mm)
- **1402 -** 1/4" (6mm)
- 1403 1/2" (13 mm)



"Boa" Arrow Pad

- Holds 12 arrows ranging from .191" (4.85mm) to .422" (10.72mm)
- 16092 White



Universal Arrow Box

- Each box holds 12 arrows, up to 36" (91cm)
- Dimensions: 36.5" x 6" x 2.5" (93cm x 15cm x 6cm)
- **1623 -** 50 pk



"Python" Arrow Pad

- Holds 12 arrows ranging from .219" (5.56mm) to .359" (9.12mm)
- 801047 White







- Fletch all 3 vanes at once with precise 120° spacing
- Applies even pressure along the entire vane base
- Great for repairs too!

CHECK US OUT ON YOUTUBE

See how to assemble and use Bohning Tower® Jigs Bohning Archery





Triple Tower®

- 1 base compatible with any Tower[®]
 Jig arm
- 3 sets of arms:
- Gray: Straight, for vanes up to 4" (101mm) long
- Black: 3 degree helical, for vanes up to 3" (76mm) long
- Red: 1 degree offset, for vanes up to 4" (101mm) long
- 3 pressure rings to fit arrows of any size
- 6 center posts for crossbow bolts, pin adapters, and arrows with an ID of .246 (6.25mm), .231 (5.87mm), .204 (5.18mm), & .167" (4.24mm)

12963 - Triple Tower®

Helix Tower®

- 1 base compatible with any Tower® Jig arm
- 1 set of black arms: 3 degree helical, for vanes up to 3" (76mm) long
- 3 pressure rings to fit arrows of any size
- 6 center posts for crossbow bolts, pin adapters, and arrows with an ID of .246 (6.25mm), .231 (5.87mm), .204 (5.18mm), & .167" (4.24mm)

12962 - Helix Tower®





Impulse[™] Tower[®]

- 1 base compatible with any Tower® Jig arm
- 1 set of yellow arms: 1 degree right offset, for Impulse vanes up to 4" (101mm) long
- 3 pressure rings to fit arrows of any size
- 3 center posts for pin adapters and arrows with an ID of .246 (6.25mm) & .167" (4.24mm)

601006 - Impulse™ Tower®



Mylar Tower®

- 1 base compatible with any Tower® Jig arm
- 1 set of gray (with red clip) arms: straight, for mylar vanes up to 3.75" (95mm) long
- 3 pressure rings to fit arrows of any size
- 3 center posts for pin adapters and arrows with an ID of .246 (6.25mm) & .167" (4.24mm)


601035 - Mylar Tower®



Crossbow Tower®

- 1 base compatible with any Tower® Jig arm
- 2 sets of arms:
- Black: 3 degree helical, for vanes up to 3" (76mm) long
- Red: 1 degree offset, for vanes up to 4" (101mm) long
- 3 pressure rings to fit arrows of any size
- 1 center post for bolts with an ID up to .35" (8.89mm)

601001 - Crossbow Tower®



Feather Tower®

- 1 base compatible with any Tower® Jig arm
- 2 sets of arms:
- Blue: 2 degree right wing, for feathers up to 5" (127mm) long
- Green: 2 degree left wing, for feathers up to 5" (127mm) long
- 3 pressure rings to fit arrows of any size
- 3 center posts for swedged shafts and arrows with an ID of .246 (6.25mm) & .167" (4.24mm)

601010 - Feather Tower®

Tower Jig® Supplemental Parts



Tower® Rings

- 601017 Small Ring (Red) For arrows with an OD of 18/64" (7.14mm) or less
- 601018 Large Ring (Lime) -For arrows with an OD 19/64" (7.54mm) -25/64" (9.92mm)
- 601036 XL Ring (Orange) -For arrows with an OD 25/64" (9.92mm) or larger



Tower® Jig Center Posts

- **601011 -** For arrows with an ID of .246" (6.25mm)
- 601012 For arrows with a pin adapter
- **601013 -** For arrows with an ID of .167" (4.24mm)
- **601014 -** For arrows with an ID of .204" (5.18mm)
- 601015 For crossbow bolts
- **601016 -** For swedged-end arrows
- **601030 -** For arrows with an ID of .231" (5.87mm)



Clamp Release Tape

- For use on all fletching jigs to prevent glue build-up.
- **1319 -** 3 Pieces 13192 - 21 Pieces (Bulk)



Tower® Jig Spacer Plates

- Adds 1/4" (6.35mm) of additional space between the nock & vanes.
- **80211 Spacers**



Tower® Jig Arms

- 1202 3° Right Helical Arms (Black): Fletches vanes up to up to 3" (76mm) long
- 1201 Straight Arms (Gray): Fletches vanes up to 4" (101mm) long
- 1200 1° Right Offset Arms (Red): Fletches vanes up to 4" (101mm) long
- **601007 -** 1° Right Offset Impulse™ Arms (Yellow): Fletches vanes up to 4" (101mm) long
- 601024 Mylar Vane Arms (Gray w/ red clip): Fletches vanes up to 3.75" (95mm) long
- 601008R 2° Right Wing Feather Arms (Blue): Fletches feathers up to 5" (127mm) long
- 601008L 2° Left Wing Feather Arms (Green): Fletches feathers up to 5" (127mm) long





Complete Tower® Jig Kit

- Great for clubs and families
- All the Tower® Jig components in one purchase:
- 1 base compatible with any Tower® Jig arm7 sets of arms:
 - · Gray: straight, for vanes up to 4" (101mm) long
- · Black: 3 degree helical, for vanes up to 3" (76mm) long
- Red: 1 degree offset, for vanes up to 4" (101mm) long
- · Yellow: 1 degree right offset, for Impulse vanes up to 4" (101mm) long
- · Blue: 2 degree right wing, for feathers up to 5" (127mm) long
- · Green: 2 degree left wing, for feathers up to 5" (127mm) long
- · Gray with red clip: straight, for mylar vanes up to 3.75" (101mm) long
- 3 pressure rings to fit arrows of any size
- 7 center posts for crossbow bolts, pin adapters, swedged-end arrows, and arrows with an ID of .246, .231, .204, & .167"
- Spacer plates
- Clamp release tape

601027 - Complete Tower® Jig Kit



Blazer® Helix Jig

- Fletches vanes with 3° right helical
- Fletch up to 2.5" (63.5mm) vanes
- Designed for .293" .306"
 (7.4mm 7.8mm) OD shaft sizes
 (Standard Carbon)

1344 - Blazer® Helix Fletching Jig



The Big Jig

- Fletches up to 4" (127 mm) long vanes
- Capable of 3 or 4 fletch application (3 vanes at 120° apart, 4 vanes at 90° apart or 60°-120°-60°-120°)
- Includes two clamps to fletch vanes at 1° right offset or 3° right helical

1320 - Big Jig



Complete Arrow Repair Kit

- Get started repairing arrows with one handy kit
- Help your customers customize and personalize their arrows
- İncludes:
- Blazer Helix Fletching Jig
- Strip-Pro for removing vanes, glue & wraps
- Packet of SSR shaft cleaner
- Deluxe Broadhead Wrench with nock indexing tool. Fits 2, 3, & 4 fixed blade broadheads
- Three 3-gram tubes of Instant Gel for vanes, feathers, points, inserts & swedged nocks
- DVD with step-by-step instructions on arrow repair
- Clamp release tape

601040 - Arrow Repair Kit **991013AB -** DVD only



Blazer® Straight Jig

- Fletches vanes straight
- Fletch up to 2.125" (54mm) vanes
- Fits shaft sizes .25" OD (6.3mm) & smaller

1345 - Blazer® Straight Fletching Jig



Pro Class Jig

- Adjusts to accommodate all shaft sizes
- Set your own degree of offset
- Capable of 3 or 4 fletch application (3 vanes at 120° apart or 4 vanes at 90° apart)
- Fletch vanes or feathers up to 5.5" (139.7mm)

1348 - Pro Class Jig - Straight

1349 - Pro Class Jig - Right Wing

1350 - Pro Class Jig - Left Wing



Blazer® Helix & Straight Jig, The Big Jig and Pro Class Jig Supplemental Parts



Blazer® Helix & Straight Clamp

8251 - Helix Clamp (Black) **8250 -** Straight Clamp (Gray)



Big Jig Clamps

8361 - 3° Right Helical (Black)
8362 - 1° Right Offset (Red)
601051 - 3° Helical Impulse™ (Yellow)
601052 - 1° Offset Impulse™ (Yellow)



Pro Class Clamps

1351 - Straight **1352 -** Right Wing **1353 -** Left Wing



Clamp Release Tape

• For use on all fletching jigs to prevent glue build-up

1319 - 3 Pieces **13192 -** 21 Pieces (Bulk)



Crossbow Receiver

 Fits Blazer® Jig, Big Jig, & Pro Class Jig

601004 - Crossbow Receiver



4 Fletch Adapter

• Fits Blazer® Jig & Big Jig

601009 - 4 Fletch Adapters







Fletch-Tite Platinum

- Solvent-based glue designed for vanes, feathers, & swedged nocks
- Works on carbon, aluminum, wood & fiberglass shafts
- Clamp time 5 minutes, cure time 48 hours
- Flexible & durable, best in low-humidity conditions
- Bond increases over time

1301 - 3/4 oz. Tube

1356 - Pint

1357 - Quart

1358 - Gallon

301040 - 40 pk (Clam-Shelled)

301030 - 200 Tubes 3/4 oz. (Clam-Shelled)

*301040EQ - 40 pk (Clam-Shelled)

*301030EQ - 200 pk (Clam-Shelled)

*Packed to meet "Excepted Quantities" International ocean and air transportation requirements in order to reduce dangerous-goods fees



Fletch-Tite Platinum® Thinner

- Formulated for use with Fletch-Tite Platinum[®]
- Do not over-thin adhesive!
- Never exceed 2% by volume

1134 - Pint

1135 - Quart

1136 - Gallon

Blazer Bond

- Instant glue designed for vanes, points, inserts, & swedged nocks
- Works on all shaft types
- Clamp time 20 seconds, cure time 2 hours
- Use a very thin bead for best adhesion
- Great for fletching in humid conditions

301015 - 1/2 oz. Bottle **301016 -** 1 oz. Bottle





Fletch Fuse

- Instant glue designed for for vanes, points, inserts, & swedged nocks
- Works on all shaft types
- Clamp time 30 seconds, cure time 2 hours
- Budget friendly

301025 - 1/2 oz. Bottle



- Works on all shaft types
- 72 hour cure time (48 hours if air is humid)

1317 - 1 oz. Bottle



Alcohol Burner

- Ideal for installation of hot melt adhesives
- Use denatured alcohol (not included)
- Holds 4 ounces

1315 - Burner

1316 - Extra wick



THE ORIGINAL BOHNING **PRODUCT**

Ferr-L-Tite

- Designed for points & inserts
- Recommended for cedar and aluminum shafts
- Heat-reversible for adjustment, replacement or removal
- Melting point of 350°F (176.7°C)

1309 - 12 Gram Stick

1339 - 1 lb. Brick

1633 - 16 Sticks (Bulk)

31001 - 250 Sticks (Bulk)





Instant Gel

- Instant glue designed for for vanes, points, inserts, & swedged nocks
- Works on all shaft types
- Clamp time 2 minutes, cure time 4 hours

1305 - 3 Gram tube

1639 - 16 pk (Bulk)

Insert Iron

- Designed for points & inserts



Regular Deluxe

Dispenser Bottles

- Reclosable 2 ounce bottle
- Regular has larger nozzle
- Deluxe has narrow nozzle

1303 - Regular Bottle (with red cap)

13031 - Deluxe Bottle (with white cap)

1304 - Regular replacement caps 6 pk (red)

13032 - Deluxe replacement caps 6 pk (white)



Ferr-L-Tite Cool Flex

- Designed for points, inserts, & pin bushings
- Recommended for carbon, aluminum & fiberglass shafts
- Fully cured in cold water
- Reversible with hot water no flame
- Excellent for tuning broadheads
- Melting point of 280°F (137.8°C)

1368 - 1 lb. Brick

13081 - 16 Sticks (Bulk)

13082 - 250 Sticks (Bulk)



VISIT OUR YOUTUBE PAGE

To learn how to setup and use the Bohning Fletching Tape Dispenser

Fletching Tape Dispenser

- Easily apply tape to vanes and feathers
- Keeps tape free of dust and debris
- Refillable
- One roll fletches approximately 144 arrows with 5" fletchings
- Screw holes for easy mounting
- For use with 60' rolls of tape only (part #1649)

801099 - Tape Dispenser



1308 - 12 Gram Stick

Premium Fletching Tape

- Designed for feathers & Mylar vanes
- Works on all shaft types
- Length 720" (18.3m), width .1875" (4.76mm)
- Machine-cut without lubricant so no dead zones in the roll
- One roll fletches approximately 40 arrows

1649 - 60' Roll



ARROW WRAPS SIZES

Place your shaft over the spots to determine which size wrap you need.

















SmallUp to 17/64"



WIDTH OF ARROW WRAPS

XL - 1.5" (38.1mm) **Large -** 1.375" (34.9mm) **Standard -** 1.125" (28.6mm) **Small** - 1" (25.4mm) **XS** - 0.875" (22.2mm)

ARROW WRAP WEIGHTS

For precise arrow wrap weights, please visit the tech section at www.bohning.com

*** All arrow wraps come in packs of 13 wraps ***

ARROW WRAP SIZE LISTED BY ARROW SHAFT See pages 48-52

LEARN HOW TO APPLY ARROW WRAPS Call us to receive a copy of the Tech Guide! 231-229-4247



WRAPS

WWW.BOHNING.COM

HD WRAPS

HD Wraps


- Indicate Color Code when Ordering
- 13 Wraps per Pack

501001 - Standard

501002 - Small

501003 - XS





231,229,4247 WRAPS 14

HD WRAPS (continued)

HD Wraps PC Pink Camo • Indicate Color Code when Ordering • 13 Wraps per Pack CAMO1 **501001 - Standard 501002 -** Small **501003 -** XS CAMO2 Noc Neon Orange Camo **BMB** Cameron Hanes Beast Mode **RWF** Red & White Flame **GWF** Green & White Flame **BWF**Blue & White Flame **RX** Red X-Ray OX Orange X-Ray **YX** Yellow X-Ray **GX** Green X-Ray H **BX** Blue X-Ray Purple X-Ray FTS Flying Tiger Shark **●**B

NEON WRAPS

Neon Wraps

- Indicate Color Code when Ordering
- 13 Wraps per Pack

501001 - Standard

501002 - Small

501003 - XS





SOLID WRAPS

Solid Wraps

- Indicate Color Code when Ordering
- 13 Wraps per Pack

501031 - Standard

501032 - Small

501033 - XS





231,229,4247 WRAPS 16

TIGER WRAPS



7" SOLID WRAPS

7" Solid Wraps

- Indicate Color Code when Ordering
- 13 Wraps per Pack

501051 - Standard



WH also available in: 501054 - Large

7" PRINTED WRAPS

7" Printed Wraps

- Indicate Color Code when Ordering
- 13 Wraps per Pack

501041 - Standard





Visi-Wrap

- 3 sets of 12 highly-reflective decal wraps
- Fits arrows up to standard-diameter
- Great way to find arrows in poor light conditions

501018BL - Bohning Logo Visi-Wraps **501018TS -** Tiger Visi-Wraps



Wrap Around Number Decal

- 16 sets of numbers 1-12
- Fits arrows up to standard-diameter
- Excellent way to identify the best arrows in a set

501012WA - Wrap Around Number Decal

TRUE COLOR WRAP AND VANE COMBOS





True Color Wrap and Vane Combos

- Designed to take arrow personalization to a new level with matching Blazer® Vanes and wraps.
- Includes:
 - 12 Arrow Wraps (standard size)
 - 24 True Color Blazer Vanes
 - 12 White Blazer Vanes

101040AF - American Flag Combo

101040CAMO - Camo Combo

101040RWF - Red & White Flame Combo

101040BWF - Blue & White Flame Combo

101040WSPT - White Splatter Combo

101040PC - Pink Camo Combo

101040CONF - Confederate Flag Combo

101040WLP - White Leopard Combo

101040CANF - Canadian Flag Combo

101040PF - Purple Flame Combo











Heat Vane

- Low-profile hunting vane that is great for any broadhead & 3D archery
- Lightweight vane made of stiffer material
- 2.5" (63.5mm) in length, 0.41" (10.4mm) in height, average 6 grains in weight

101036 - 36 pk **101037 -** 100 pk 101038 - 1000 pk











































True Color





BOHNING TECH TIP: The BEST way to prep your Bohning Vanes is..... DO NOTHING. All Bohning vanes are PRE-PRIMED for optimal adhesion. Sanding or rubbing Bohning vanes with solvents will remove this primer and decrease adhesion. Bohning primer is compatiable with all known archery adhesives.



WHICH VANE SHOULD YOU USE?

The complete Bohning vane guide can be found on page 47

Blazer® Vanes

- The World's #1 vane top vane since its inception over 10 years ago
- Universal vane that is great for any broadhead, crossbows & 3D archery
- 1.987" (50.47mm) in length, 0.568" (14.42mm) in height, average 6 grains in weight

10831 - 36 pk **10832 -** 100 pk 10833 - 1000 pk

True Color Blazer® Vanes • UV-cured ink for a sharp, smudge-free look

• 1.987" (50.47mm) in length, 0.568"(14.42mm) in height, average 6.3 grains in weight

10831 - 36 pk 10832 - 100 pk 10833 - 1000 pk



Solid





























Tiger











































S

















































CANF























AUSF Australian Flag



PC Pink Camo





BF Barred Feather




PF Purple Flame







This is the vane that has dropped more jaws, hung more trophies, convinced more skeptics, and provided more big silly grins than all the "Knock-Off", "Wanna-Be", & "Copy-Cat" vanes combined! This is the vane that, hands down, out-performs them all!



WHICH VANE SHOULD YOU USE?

The complete Bohning vane guide can be found on page 47



Blazer® X2

- Best for outdoor field, 3D & FITA
- Recommended for mechanical broadheads
- 1.85" (47mm) in length, 0.43" (10.9mm) in height, average 4 grains in weight

10762 - 100 pk **10763** - 1000 pk






Mini Blazer®

- Designed for 3D archery
- Recommended for mechanical broadheads
- 1.5" (38.1mm) in length, 0.45" (11.43mm)in height, average 4.5 grains in weight

10842 - 100 pk **10843 -** 1000 pk






Killer® Vane

- Recommended for hunting & indoor spot shooting
- Long profile similar to traditional feathers but with superior durability
- 4" (101.6mm) in length,
 0.5" (12.7mm) in height,
 average 12.5 grains in weight

10501 - 36 pk **10502 -** 100 pk **10503 -** 1000 pk






Air Vane

- Designed for field & 3D archery
- Great for long distances and smaller diameter arrows
- Ideal in windy conditions
- 2" (50.8mm) in length, 0.3" (7.62mm) in height, average 4.5 grains in weight

101026 - 36 pk **101027 -** 100 pk **101028 -** 1000 pk



True Color







Ice Vane

- Designed for field & 3D archery
- Ideal in windy conditions
- 3" (76.2mm) in length, 0.3" (7.62mm) in height, average 6.5 grains in weight

101021 - 36 pk **101022 -** 100 pk **101023 -** 1000 pk



True Color







- Revolutionary lightweight composite material
- Best for recurve bows
- Resistance to strong crosswinds & unpredictable weather
- 3" (76.2mm) in length,
 0.3" (7.62mm) in height,
 average 4 grains in weight
- 4" (101.6mm) in length, 0.3" (7.62mm) in height, average 5 grains in weight

101008 - 3" 40 pk **101007 -** 3" 100 pk **101006 -** 3" 1000 pk

101011 - 4" 40 pk **101010 -** 4" 100 pk


101009 - 4" 1000 pk





- Designed for field & FITA style archery
- 1.5" (38.1mm) in length, 0.3" (7.62mm) in height, average 3 grains in weight
- 1.75" (44.5mm) in length, 0.375" (9.53mm) in height, average .5 grains in weight
- 2.25" (57.2mm) in length,
 0.325" (8.25mm) in height,
 average 5 grains in weight
- 3" (76.2mm) in length,
 0.5" (12.7mm) in height,
 average 10 grains in weight,
 NASP Approved
- 3.5" in (88.9mm) length,
 0.5" (12.7mm) in height,
 average 12 grains in weight

10771 - 36 pk **10772** - 100 pk **10773** - 1000 pk



True Color













X Vane™ - Parabolic

- Great for target archery, crossbows & hunting
- NASP approved
- 3" (76.2mm) in length, 0.430" (10.9mm) in height, average 8.5 grains in weight

10771 - 36 pk **10772** - 100 pk **10773** - 1000 pk





Bolt Vane

- Designed specifically for crossbows to withstand higher velocity and stabilize bolts for up to 100 yards
- Made of stiffer vane material
- Prevents vane flap for a smooth bolt rotation
- 3.5" in (88.9mm) length, 0.5" (12.7mm) in height, average 11.5 grains in weight

101033 - 36 pk **101034 -** 100 pk **101035 -** 1000 pk



FLETCHING ALTERNATIVES





Blazer® Stretch Fletch™

- Designed for standard carbon shafts with an OD of .293 .306"
- Simply slide in place, use adhesive if desired
- Molded of Blazer® material & vanes on a 3° right helical
- 2.23" (56.6mm) in length, average 40 grains in weight

101012 - 6 pk (Includes tube of Fletch-Tite Platinum)

101012INT - 6 pk







boiling water

Blazer® Quikfletch®

- Easily install on shaft sizes of .219-.375"
- Submerge into boiling water to activate
- Store in a cool place until use
- 5.25" (133.4mm) in length, average 27 grains in weight

101001 - 6 pk **101003 -** 50 pk









Blazer® Nock

- Double-lock throat
- Raised index
- Throat Size: .120" (3.05mm)
- Average weight: 10 grains
- Nock OD: .245 (6.22mm) ("Standard Carbon" size)

1003 - 12 pk **1004 -** 100 pk **1005 -** 1000 pk

Solid



Transparent





Signature® Nock

- Smooth throat
- Raised index
- Throat Size: .109" (2.77mm)
- Average weight: 13 grains
- Nock OD: .245 (6.22mm) ("Standard Carbon" size)

1006 - 12 pk


1008 - 100 pk

1009 - 1000 pk

Solid



Transparent







A-Nock


- Double-lock throat
- Raised index
- Throat Size: .120" (3.05mm)
- Average weight: 7 grains
- Nock OD: .205 (5.21mm)

10151 - 12 pk


10152 - 100 pk

10153 - 1000 pk

Solid



Transparent



-

F-Nock

- Double-lock throat
- Throat Size: .120" (3.05mm)
- Average weight: 6.5 grains
- Nock OD: .168 (4.27mm)

10141 - 12 pk

10142 - 100 pk

10143 - 1000 pk

Solid



Transparent





H.E. Nock

- Double-lock throat
- Recessed index
- Throat Size: .120" (3.05mm)
- Average weight: 8 Grains
- Nock OD .231" (5.87mm)

401023 - 12 pk

401024 - 100 pk

401025 - 1000 pk

Solid



Transparent



DETERMINE WHICH NOCK SIZE YOU NEED See pages 48-52

231,229,4247 NOCKS 26



Original Pin Nock

- Smooth throat
- Raised index
- Throat Size: Standard 0.120" (3.05mm) and Small - 0.106" (2.69mm)
- Average weight: 5 grains
- Standard Throat marked with letter "V" & Small Throat marked with letter "R"

Standard Throat

10071 - 12 pk

10072 - 100 pk

10073 - 1000 pk


Small Throat

10161 - 12 pk

10162 - 100 pk

10163 - 1000 pk

Solid




Transparent



WANT TO KNOW MORE ABOUT OUR NOCK **TESTING PROCESS?**

See page 46



Smooth Release Pin Nock

- Smooth throat & short ears
- Raised index
- Throat Size: Standard 0.120" (3.05mm)
- Average weight: 5 grains
- Smooth Release marked with letter "M"

401030 - 12 pk 401031 - 100 pk

401032 - 1000 pk

Solid



Transparent





T Nock

- Great for NASP, swedged end, & bowfishing shafts
- Recommended for aluminum, wood & fiberglass shafts
- Throat Size: 0.115"
- Available in:
- 1/4"
 - Throat size: .105" (2.67mm)
 - Average 6 grains
 - Available in white 1000 pk only
- 9/32"
 - Throat size: .115" (2.67mm)
 - Average 8 grains
- 5/16"
- Throat size: .115" (2.92mm)
- Average 14 grains
- 11/32"
- Throat size: .105" (2.92mm)
- Average 15 grains

1054T - 12 pk

1055T - 100 pk

1056T - 1000 pk

Solid















NOCKS



Classic Nock


- Swedged end shafts (wood & aluminum)
- Index & alignment feature
- Throat Size: 0.115" (2.92mm)
- Available in: 11/32" (average13 grains) & 5/16" (average 10 grains)

10132 - 100 pk **10133 -** 1000 pk





Transparent





Crossbow Nocks

- Available in: .2985 diameter & .303 diameter
- Average weight: Flat = 9 grains, Half Moon = 11 grains

Flat Nock - .2985

401001 - 12 pk

401002 - 100 pk

401003 - 1000 pk

Flat Nock - .303

401014 - 12 pk

401015 - 100 pk

401016 - 1000 pk

Half Moon Nock - .2985

401011 - 12 pk

401012 - 100 pk

401013 - 1000 pk


Half Moon Nock - .303

401008 - 12 pk

401009 - 100 pk

401010 - 1000 pk

Solid





Legend Nock

- Great for NASP, swedged end, & bowfishing shafts
- Recommended for aluminum, wood & fiberglass shafts
- Throat Size: .105" (2.67mm)
- Available in 5/16" (average 11 grains) & 9/32" (average 8 grains)

1057 - 12 pk (LM 5/16" only)

1058 - 100 pk

1059 - 1000 pk

Transparent Solid






Nock-Out Tool

- For use with Bohning Signature® nocks
- Easy removal or alignment
- Will not damage nocks

1622 - Nock-Out Tool





Nock Indexing Tool

- Inserts & positions nocks without damage
- 2 channels for multiple nock sizes
- Fits all Blazer® series nocks

1620 - Nock Indexing Tool



STRING



The Original

Tex-Tite

- Natural-based wax
- Waterproof
- Tex-Tite[®] on threads helps keep screw-in points from loosening

1306 - 28 gram aingle

1630 - 24 pieces (bulk)

32001 - 250 pieces (bulk)

3200 - 500 pieces (bulk)



Universal

Seal-Tite

- Silicon-based wax
- Odorless & waterproof
- Use on nock shanks for easier indexing & insertion

1360 - 28 gram single

1631 - 24 pieces (bulk)

35001 - 250 pieces (bulk)

3500 - 500 pieces (bulk)



Quick Saturation!

Xccelerator Wax®

- Softens at a low temperature
- Odorless & waterproof
- Easy & fast saturation
- Greatly reduces friction on the slides, wheels, & rollers

1365 - 3 gram tube

1634 - 16 tubes



Non-tacky

Grit Guard

- Non-tacky wax formula prevents dirt and lint from collecting on strings
- Odorless & waterproof
- Premium conditioners

301026 - Grit Guard Wax (40 gram box)



Liquid = Simple Application

String Shield™

- Silicon-based liquid wax
- Sponge top applicator
- Odorless & waterproof

301019 - 1/4 ounce (7.4 ml) tube

BOHNING TECH TIP:

To maximize string life, apply string wax frequently (approximately every 200 shots)





String Separator

- Fast & easy installation of serving, peeps, silencers, etc
- Easily inserts into strands without damaging, twist to separate strings
- 2 x .63 x 1" (51 x 16 x 25mm)

1601 - Separator



Mini-Server

- Great for travel & quick fixes
- Eliminates the need for a cable spreader
- 2.0625" (52.39mm) x 1.4" (35.56mm) x .875" (22.23mm)
- Contains 27 ft. (8.23m) of #62XS .021 serving in black & white

801017 - Mini Server 801024BW - Replacement spool with thread, 2 pack



#62 XS Serving Thread

- 20% stronger than regular serving thread
- .018" contains 100 yards per spool (91.44m)
- .021" contains 75 yards per spool (68.58m)

801001 - #62XS .021" 801010 - #62XS .018"















Poly Grip .020"

- Superior grip
- 100% polyester
- .020" diameter, 75 yards (68.58m)

1624 - Poly Grip



Loop Rope

- 2.0 mm BCY, #24 polyester D-loop rope
- 39" (1 meter)

801002 - 1 Meter (1m) 801003 - 100 Feet (30.5m)





Self-Serve Cable Spreader

- Provides a large work area & keeps cable down & out of the way
- 11" x 5.5" x .44" (28 x 14 x 1cm)

1525 - Cable Spreader



Serve-Tite

- Adjustable tension & smooth thread flow
- 2.25 x 1 x 2.5" (57 x 25 x 64mm)
- Fits standard spool
- Contains 75 yards (68.6m)

16240 - Serve-Tite w/ Polygrip .020"

16260 - Serve-Tite w/ #62 .021" Braided

16150 - Serve-Tite String Server, Tool Only



#62 Braid Serving Thread

- Braided for superior grip & durability
- .021" contains 75 yards (68.58m)
- .025" contains 60 yards (54.86m)

1626 - .021" Braided #62

1627 - .025" Braided #62



Nylon Serving Thread

- Traditional nylon serving thread
- Use for end serving, peeps & nocks

• .018" contains 100 yards (91.44m) per spool

1616 - Black Nylon



Crossbow Serving Thread

- Designed for high performance crossbow strings
- Available in black only
- .030" (41.15m) with 45 yards per spool

801011BK - Crossbow



Serving Kit

- Everything needed to center serve bowstrings
- Includes cable spreader, string separator, serving tool with .020" Polygrip thread, &
- Includes step-by-step instructional DVD

1295 - Kit

1294 - DVD Only





Bolt Vane

- Designed specifically for crossbows to withstand higher velocity and stabilize bolts for up to 100 yards
- Made of stiffer vane material
- Prevents vane flap for a smooth bolt rotation
- 3.5" in (88.9mm) length, 0.5" (12.7mm) in height, average 11.5 grains in weight

101033 - 36 pk **101034 -** 100 pk 101035 - 1000 pk





















Crossbow Nocks

- Available in: .2985 diameter & .303 diameter
- Average weight: Flat = 9 grains, Half Moon = 11 grains

Flat Nock - .2985 Half Moon Nock - .2985 **401001 -** 12 pk 401011 - 12 pk 401002 - 100 pk 401012 - 100 pk **401003 -** 1000 pk **401013 -** 1000 pk

Flat Nock - .303 Half Moon Nock - .303 **401014 -** 12 pk **401008 -** 12 pk **401015 -** 100 pk **401009 -** 100 pk **401016 -** 1000 pk **401010 -** 1000 pk





Lightning Lube

- Silicone-based, odorless rail lube
- "No Mess" foam applicator
- Provides a protective film for reduced friction & increased velocity

1363 - Lightning Lube **941019 -** Lightning Lube (16 pk bulk)



Top Mount

- Parallel quiver mounting system
- Easy installation without scope removal
- Provides easy access for loading
- Includes both allen head & thumb screw

801012 - Kit



Crossbow Lube Kit

• Includes 1 tube of Lightning Lube for rails and 1 tube of Xccelerator Wax for strings

801005 - Crossbow Lube Kit





Stronghold

- 3 stainless steel barbs for a superior hold
- Reversible inside the fish for easy removal
- Replaceable hardened-steel tip
- 2-1/2" (63.5mm) holding diameter
- For 5/16" (7.94mm) fishing shafts
- Glue & pin to arrow shaft
- Weight: 330 grains

901021 - 1 pk Stronghold Point

901009 - 3 pk Stronghold Points

901020 - 3 pk of Stronghold Tips

901022 - Stronghold Replacement Barb Set



NEW Bowfin Fish Point

- Replaceable tip made of hardened steel
- High-performance rotating barb
- Weight: 275 grains

901026 - Bowfin Fish Point 901027 - Replacement Tip



231.229.4247

Hard Head River Fish Point

- Great for rocky bottoms & shallows
- Nickel-plated
- Weight: 153 grains

901025 - Hard Head River Fish Point 901001 - Replacement Barbs (2pk)



CHECK US OUT ON YOUTUBE

See Bohning Bowfishing products in action!
Bohning Archery

BOWFISHING 32



Carp-I-Vore™

- Fully-adjustable containment roller rest
- Easy top load design
- Interchangeable roller & bristle
- Reversible LH or RH mounting
- Horizontal & vertical adjustments
- Mounting hardware included

901006 - Carp-I-Vore™ Bowfishing Rest Licensed under Patent No. 6,994,080

Carp-I-Vore™ Supplemental Parts





901014 - Roller Assembly 901015 - Bristle with Mount



901016 - Bristle Assembly (2pk)

Carp-I-Vore™ Assembly



Carp-I-Vore™ Spacers

911022 - Spacers



THE B.A.R. **Bohning Aqua Reel**

- First-of-its-kind bowfishing spinning reel
- Cable-activated bail opens automatically on draw
- Adjustable drag
- Reversible LH or RH mounting
- Anodized aluminum spool
- Gear Ratio of 5.1 : 1
- Spooled with 50 yds (45.7m) of 80# test line

901010 - The B.A.R. Reel Patent No. 9,474,258



MudCat™ Reel

- Includes 50' (15.24m) of 80# nylon line
- Line drag reduction system
- Rubber retainers for safe arrow storage
- All mounting hardware included

901007 - MudCat™ Reel

1024 - 50 ft (15.24m) 80# Mudcat[™] Nylon Line

Hornet™ Fishing Shaft

- Fiberglass/carbon hybrid
- 34.75" (88.3cm) in length, 1190 grains
- 65% greater spine strength for faster shot recovery
- For use with all draw weights

901004 - Hornet[™] Fishing Shaft (shaft only)

901005 - Hornet™ Fishing Shaft w/ Bowfin point, AMS Safety Slide, and 5/16" (7.94mm) Legend Nock



Glass Fish Arrow

- Fiberglass
- 32.5" (82.6cm) in length
- 10020 High-Vis Yellow crown-dipped arrow w/ Hard Head point, 5/16" (7.94mm) Legend Nock, & AMS safety slide
 - 1002 White arrow w/ Hard Head point, 5/16" (7.94mm) Legend Nock, & AMS safety slide
- 1000 White arrow w/ Hard Head Point & 5/16" (7.94mm) Legend Nock
- **1001 White arrow with 5/16" (7.94mm)** Legend Nock



Legend Nock

• Available in 5/16" (7.94mm) (average 11 grains) & 9/32" (7.14mm) (average 8 grains)

1057 - 12 pk (LM 5/16" only)

1058 - 100 pk 1059 - 1000 pk



Transparent













- 1 MudCat™ Reel
- 1 White Glass Fish Arrow 32.5" (82.6cm) with 5/16" (7.94mm) Legend Nock, Hard Head point & AMS safety slide
- 50' (24.4m) of 80# nylon line
- All mounting hardware included

1023 - Bowfishing Kit



Stronghold shown above.





NEW Bruin

- Dual retainer, 4 arrow quiver
- Molded hood & liner for quiet storage of any broadhead style
- High-impact polycarbonate stem provides the strength of metal without the weight
- Built-in hook for quick hanging
- Equipped with the Lever-Lock mounting system

201030 - Bruin Quiver (Indicate hood pattern & liner color)

Bruin hood colors



Select from the following hood liner colors

























Camo Bruin hood colors (Black hood liner only)











Bruin Supplemental Parts



Bruin Retainers

201031 - Retainers



Lynx® 4

- Choose your own combination of hood pattern & retainer color
- Dual retainer quiver
- Molded hood & liner for quiet storage of any broadhead style
- Lightweight, durable molded stem
- Equipped with the Lever-Lock mounting system
- Comes with retainer for standard carbon arrows

Lynx 4 with Black Retainers

1038 - Black

10380 - Carbon Fiber

10817 - Lost Camo®

201013LXD - Lost Camo XD

201013MOC - Mossy Oak® Break-Up Country

201013RX - Realtree® Xtra

Colored Retainers

201013 - Lynx® with Colored Retainers

(Indicate hood pattern & retainer color)















Lynx® 4 Supplemental Parts



Lynx® Hood Liner

10383 - 4 Liner



Lynx® Retainers

Black Retainers 10382 - Standard **1045 -** Small

Lynx 4 with **Colored Retainers 201026 - Standard** 201027 - Small





Jack-Pine 5

- Economical, strong & lightweight
- Single-retainer 5 arrow quiver
- Equipped with the Lever-Lock mounting system

1099 - Black



Jack-Pine 5 Supplemental Parts Jack-Pine 5 Quiver



10354 - Foam 10993 - Retainer

Supplemental Parts FOR ALL QUIVERS



Lever-Lock **Mounting System**

1073 - Green Lever

LOOKING FOR SPECIAL DEALS?

Visit the Bohning Outlet section on our website!



Adult Target Quiver

- 5 tube cordura quiver
- 19" in length
- Accessory clip, 2 exterior zippered pockets, & 1 sleeve pocket

1693 - RH Black

1692 - RH Neon Green

1699 - RH Camo

16930 - LH Black

16920 - LH Neon Green

16990 - LH Camo









Mini Target Quiver

- 3 tube cordura quiver
- 14" in length
- Accessory clip, 2 exterior zippered pockets & 1 sleeve pocket

1655 - RH Black

1656 - RH Blue

1654 - RH Hot Pink

1660 - RH Neon Green

1669 - RH Neon Orange

1662 - RH Camo

16550 - LH Black

16560 - LH Blue

16540 - LH Hot Pink

16600 - LH Neon Green

16690 - LH Neon Orange

16620 - LH Camo



• Tactical belt maintains shape

16801 - Sm/Med (28"-38") 16803 - Lg/XL (40"-50")

• Heavy-duty snap buckle with 2 large



Q23° Adjustable Quiver

- Sturdy yet lightweight
- Constructed of anodized aluminum
- 23 degrees of full adjustability prevents quiver from angling straight up
- 360 degree swivel clip
- Ambidextrous

701050 - Q23























CHOHNING

Accessory Bag

loops in the back

- Collapsible draw-string throat
- Reinforced top that stays open for quick access
- Made of heavy-duty cordura

1659 - Black

16591 - Red

16590 - Blue

16593 - Neon Green

16595 - Neon Orange

16594 - Purple

16596 - Camo



Tube Quiver

- Ambidextrous design
- Soft-shell tube with reinforced bottom
- Carabiner attachment

701006 - Tube Quiver





















NEW Shooter Stool

- Built-in cooler
- Padded seat and shoulder straps
- Pencil slots and scorecard pocket
- Large internal storage compartments
- Large mesh external pocket
- Reinforced stitching
- Frame capacity of 225 lbs.
- Kit includes two anodized aluminum arrow tubes that fit approximately 1 dozen standard carbon size arrow shafts

701058BK - Complete Shooter Stool (Kit w/ arrow tubes & umbrella straps)

701055BK - Shooter Stool only

701057 - Arrow Tubes with clips for Shooters Stool



231.229.4247 ACCESSORIES 38





- Built to go from your truck to your stand
- Comes with detachable bow sling

BOW CASE

- Designed for bows up to 42" (107cm) axle to axle
- Dimensions 45" (114cm) x 18"(46cm)
- 4 outer pockets, including one arrow pocket

SLING

- Fits bows from 28" (71cm) to 40" (102cm) axle to axle
- 2 outer accessory pockets
- 2 end clips for added security

701045CAMO - The Shelter, Sling/Case Combo **701043CAMO -** Camo Adult Bow Case

701044BK - Bow Sling







Standing Soft Case

- Designed for bows up to 36" (91cm) axle to axle & 8" (20cm) brace height bow
- Dimensions: 42" (107cm) x 14" (36cm)
- 2 exterior pockets with zippers and one elastic mesh drink-holder
- 3 interior pockets with zippers
- Fold-out pockets to keep case upright

701028 - Standing Soft Case



Youth Bow Case

- Designed for bows up to 36" (91cm) axle to axle & 8" (20cm) brace height bow
- Dimensions 41" (104cm) x 14" (36cm)
- Accessory pocket 9" (228.6mm) H x 5" (13cm) W x 2" (5cm) D

701014 - Bow Case



Shown: Cam





Shown: Hunter

String Nocks

- Creates a positive nocking point for consistent shots
- Quick & easy to install
- Available in two sizes: cam (red) & the slightly smaller hunter (black)

 Cam String Nocks
 Hunter String Nocks

 1065 - Cam 6 pk
 1064 - Hunter 6 pk

 1068 - Cam 100 pk
 1067 - Hunter 1000 pk

 1071 - Cam 1000 pk
 1070 - Hunter 1000 pk



String Whiskers

- Two pieces per package, 4.5" (11.4cm) long each
- Dampens string noise & oscillations with round whiskers
- Easy to use, ties to the bowstring

1051 - 1Pair **1635 -** 50 Pair



Kisser Button

- Helps maintain a consistent anchor point every shot
- Lightweight & durable, .5" (12.7mm) diameter
- Easy installation with 2 enclosed clips

1664 - Kisser w/ clips **801081 -** 100 pk



"Slim" Peep

- Durable, high-impact & lightweight
- 3/16" (4.7mm) sight orifice, small profile for easy installation
- Individual peeps include 12" (30.5cm) tubing, bulk peeps do not

1668 - Peep with tube **1640 -** 50 pk Bulk (peep only)



Bow Grip/Sight Window Pad

- Cut-to-fit soft mole-skin pads prevent noise & add warmth
- Self-adhesive backing
- Package contains two 4" (10.2cm)
 x 6" (15.2cm) pads
- Mossy Oak® Break-Up Infinity

1602 - 2 Pads



Wind Check

- Detects the slightest air thermals
- Extremely fine, odorless & environmentally safe
- Flip-top bottle for easy one-hand use

1612 - Bottle



Broadhead Wrench

- Excellent price point
- Easy grip construction protects fingers while installing broadheads
- Fits both 3 & 4 blade broadhead configurations

1619 - Broadhead Wrench



Deluxe Broadhead Wrench

- Fits 2, 3 & 4 fixed blade broadheads
- Features nock indexing tools for Bohning Signature, Blazer® Double Lock, A, F & Pin nocks for easy tuning of broadheads
- Pushes on sides of the blades, preventing the edge from dulling

801046 - Deluxe Broadhead Wrench



Arrow Pen Ferrules

- Get cash from your broken arrow shafts by selling arrow pens, and make it easy on yourself with Bohning's pen ferrules
- No tape or glue necessary
- Fit standard carbon-sized shafts
- Work with stick pens similar to PaperMate[®] 1.0mm
- 100 pack black ferrules


990004BK - 100pk Arrow Pen Ferrules



NEW Arrow Lube

- For easy removal of arrows form targets
- No mess foam applicator
- Odorless
- Long lasting & waterproof
- Silicone-based

301023 - Arrow Lube




D-Flector Armguard

- Durable polycarbonate armguard
- Easy-to-adjust, soft elastic straps
- Contoured design with a raised center

801092 - D-Flector Armguard (ℂ€)





Transparent






Web Armguard

- Open design for maximum ventilation
- Durable & flexible, with adjustable elastic bands for easy on & off

801040 - Web Armguard (ℂ €)





3-Strap Armguard

- Heavy-duty anti-fray construction
- Excellent for holding clothes away from bow strings
- Easy to adjust, quick disconnect buckle straps

1689 - Cordura Armguard





Slip-On Armguard

- Durable, yet soft & flexible
- Easy on & off; protects the entire forearm
- Compression-fit material in: S, M, L, XL
- Size XL in black only

801009 - Slip-On Armguard (C€)





Silp-Oil Airiiguala Sizilig									
Circumference (inches)									
Size	Length (inches)	Small End Relaxed	Large End Relaxed	Small End Stretched	Large End Stretched				
S	8	5.5	8	9	12				
М	9	7	9	12	14				
L	9	9	11	14	17				
XL	9	11	12.5	15	18				

^{*}Sizes are approximate



Cinch Sling

- Easily adjustable to fit over bare hand or gloves
- Base plate allows for the stabilizer to be torqued without rotating out of place
- Stays open for ease of use

801049 - Cinch Sling **15211 -** Black 12 pk (bulk)









Bohning Red Plaid Hat

- Flexfit banded hat
- Red Plaid hat with structured front
- Bohning logo embroidered on front

701004RP - Red Plaid Hat



Bohning Pro Visor

- Black mesh front
- Velcro adjustable closure

701005BK - B&W Visor



Bohning Shooter Jersey

- ASA Collar Approved
- 100% moisture wicking
- Relaxed fit
- Sm-3XL

701035 - Shooter's Jersey



Blazer® Hat and Shirt

Black Blazer® Hat

- Black structured front with black mesh back
- One size fits most
- Plastic snap closure

Blazer® Icon T-Shirt

- Comfortable 100% cotton fabric
- Semi Fitted, Short sleeve round neck design
- Sm-3XL

701004 - Blazer Black Hat 701009 - Blazer Icon T-Shirt Blazer Hat/Shirt Combo - Hat/Shirt Combo



Bohning Distressed Hat

- Distressed front
- Mesh back with 7-hole adjustable snap closure

701043TR - Legacy Hat



Bohning Camo Hoodie

- RealTree® Xtra Camo
- 50% cotton / 50% polyester
- Sm-3XL

701034 - Camo Hoodie



Bohning Full Zip Hoodie

- Full Zip
- 50% cotton / 50% polyester
- Features the Bohning Logo on the left arm sleeve
- Sm-3XL

701033 - Full Zip Hoodie



Bohning Quarter Zip Sweatshirt

- 1/4 Zip
- 50% cotton / 50% polyester
- Sm-3XL

701032 - Quarter Zip Sweatshirt

MORE BOHNING APPAREL OPTIONS AVAILABLE AT:

www.bohning.com/products/bohning-wear

APPAREL 42





SnapFit™ Displays are available in a variety of colors





- Shelf capacity: 5 lbs (2.3kg) per 4" panel
- Hook capacity: 1 lb (.45 kg) per hook
- Made from engineering-grade, recycled plastic
- Hooks attach to panels and columns
- Panels are reversible to hide or show Bohning logo
- Soft urethane feet for non-marring stability
- Slots in column caps accommodate standard foam board signage
- Compact and lightweight to ship
- Additional/ replacement parts available
- Easily combine multiple SnapFit products to create larger displays

901050 - SnapFit Display - Table Top

901051 - SnapFit Display - 8 x 8

901052 - SnapFit Display - 8 x 16

901053 - SnapFit Display - 16 x 16

701051BK - Take A Stand - Adjustable Quiver Stand



SnapFit™ Display - Table Top

Includes:

- 1 16" Column
- 1 Foot
- 10 3" Hooks

901050 - Snap-Fit Display - Table Top





SnapFit™ Display - 8 x 8

Includes:

- 16 16" Columns
- 24 8" Plates
- 4 Feet
- 48 3" Hooks
- 4 8" Shelves

901051 - Snap-Fit Display - 8 x 8





SnapFit™ Display - 8 x 16

Includes:

- 16 16" Columns
- 12 16" Plates
- 12 8" Plates
- 4 Feet
- 64 3" Hooks
- 8 8" Shelves

901052 - Snap-Fit Display - 8 x 16





SnapFit™ Display - 16 x 16

Includes:

- 16 16" Columns
- 24 16" Plates
- 4 Feet
- 100 3" Hooks
- 8 16" Shelves

901053 - Snap-Fit Display - 16 x 16





Take A Stand

- Adjustable quiver stand designed for field, range, school, league, camp, and family fun
- Holds three different diameters of quivers to include Bohning's Q23° Adjustable Quiver (Quiver not included)
- Baseprint of 15" (38cm) and serrated arms for gripping uneven ground.

701051BK - Take A Stand (Adjustable Quiver Stand)



New Dealer Stocked SnapFit[™] Display

- 8 x 16 Snap-Fit Display fully stocked with Bohning's most popular products
- Perfect for new dealers!
- Free display plus product discounts
- Call or email for more details!
 - 231-229-4247
- info@bohning.com

SnapFit[™] pieces can be combined to create displays of any shape or size!













The Bohning Nock Development Process

NOT ALL NOCKS ARE CREATED EQUAL

Today's bows are becoming increasingly efficient. A higher percentage of the energy stored in a bow's limbs is transferred to the arrow than ever before. The potential energy stored in your bow is transferred to the arrow via a single component: your nock. The question is, has your nock kept up with bow technology? At Bohning, we have dedicated significant time in testing and research into developing nocks that will withstand the rigors of shooting both today's and tomorrow's high-energy bows.

Every nock we design has to go through an extensive series of tests and refinements before it ever hits the store shelves. Special care is taken early in the design phase to ensure each nock is as strong and resilient as possible. Before a design is cut into steel, computer simulations are run to find any potential weak points in the nock's geometry. Only after multiple tests and refinements is an injection molding tool built. This is done in-house. Our expert team of engineers and machinists have more than 112 years of combined experience! This vast body of knowledge, skill, and experience is how



Bohning nocks are set apart from the competition. Producing multiple identical nocks per machine cycle; each having the same exact dimensional, material, and strength properties as the next is proof of highly skilled craftsmen.

But what does this mean for our customers? Every Bohning nock is molded to incredibly tight tolerances and subjected to meticulous standards of workmanship and quality. This translates to superior

consistency at a fraction of the cost. And that is just the beginning.

Once production-ready nocks have been run, they are not ready for the shelves until they have passed an exhaustive battery of testing, both in the lab and on the range. Using state-of-the-art destructive testing methods, our nocks are bent, crushed, and abused to expose possible design flaws or material defects.

On the range, our final and most rigorous test is performed: Accelerated life-cycle testing. Using a custom-built bow capable of shooting arrows at kinetic energy levels exceeding 110 ft-lbs (nearly twice that of most hunting bows), we put our nock designs through the gauntlet.


No design is approved until a single nock can reliably withstand over 1000 shots* under these conditions without any sign of wear.

KINETIC ENERGY

So, why focus on kinetic energy (KE)? The answer is simple: KE is the best factor we have for quantifying an arrow's stopping power down range. It is also an excellent way of measuring a bowstring's effect on a nock during the shot. A nock's ability to withstand repeated use under demanding conditions is a testament to its resilience. In engineering terms, "resilience" is the capacity of a material to transmit kinetic energy without permanent deformation. By testing our nocks at extreme levels of kinetic energy rather than just extreme speeds alone, we ensure our nocks are the most resilient on the market.

In archery, mental focus is just as important as all of the practice and careful preparation of your equipment-- you shouldn't have to question the reliability of your nock. Only Bohning nocks take the guesswork out of the equation for you.

* Glue-on nocks (Classic, Legend, and T-Nocks) have not been tested according to the 1,000 shots scenario



VANE USAGE

Choose the correct vane for your application.

		Indoor	1	Outdoor			Hunting	
Blazer Material	Average Weight (grains)	Indoor Spots	Outdoor Field	Outdoor	Outdoor 3-D	Fixed Blade	Mechanical	Crossbow
Air Vane	4.5		·	·	~			
Blazer®	6	-	·	/	V	1	1	-
Blazer® QuikFletch®	27					V	V	
Blazer® Stretch Fletch™	40				4 70000	1	1	
Blazer* X2	4	-	-	-	V		·	
Ice	6.5		-	-	·			
Killer	12.5	-				V	·	
Mini Blazer®	4.5	-	·	1	·		1	
X Vane* - Parabolic 3"	8.5	-			V	V	V	-
X Vane* - Shield Cut: 1.5", 1.75" & 2.25"	3, 3.5, 5	1	1	1	1			
X Vane* - Shield Cut: 3" & 3.5"	10, 12	1					1	*
Impulse Material	8							
Impulse™ 3" & 4"	4,5		1	V	V			
Bolt Material								
Bolt	11.5							-
Heat	6	1				-	·	

NOCK USAGE

Choose the correct nock for your application.

APPLICATION	RECOMMENDED NOCK	REASON
Outdoor: 3D, Field, & Fita	Pin nocks	Using pin nocks, your arrows are less likely to "robin hood" in tight-group shooting situations. It is also an
Indoor Target	Blazer Standard Throat Pin Nock	easy way to nock large diameter shafts.
	Blazer Small Throat Pin Nock	
	Smooth Release Pin Nock	Some archers choose hunting nocks due to personal preference
	Press-fit nocks are commonly used as well	
Hunting	Press-Fit Nocks	The double-lock style of the Blazer, A, F, & H.E. nock, and the "single lock" style of the Signature Nock, ensure
	Double-lock style: Blazer, A, F, or H.E.	the nock will not fall off the string if the bow is let down
	or Signature Nock	
NASP	Legend Nock, F Nock	NASP-approved nocks
Traditional	Classic Nock, Legend Nock, T Nock	Designed for swedged-end arrow shafts
Bowfishing	Legend Nock	Designed for swedged-end arrow shafts, including fiberglass
Crossbow	Flat or Halfmoon Nock	Designed to handle the rigors of high-speed bolts

^{*}These recommendations are guidelines only and do not necessarily reflect all usable combinations

NOCK & WRAP SELECTION



Beman	Wrap	Nock	Tower Jig Post	Tower Jig Ring
Bone Collector	Small	A Nock	A Nock	Small
Bone Collector Jr	Small	HE Nock	HE Nock	Small
Carbon Diva	Large	Blazer / Signature	Standard	Large
Carbon Flash	Small	N/A	N/A	N/A
Centershot	Small	HE Nock	HE Nock	Small
Dead Ringer	Large	Blazer / Signature / F	Standard	Large
ICS Bowhunter	Standard	Blazer / Signature / F	Standard	Small
ICS Bowhunter Jr	Standard	Blazer / Signature	Standard	Small
ICS Crossbow Hunter	Large	Half Moon or Flat	Crossbow	Large
CS Hunter	Standard	Blazer / Signature / F	Standard	Small
CS Hunter Patriot	Standard	Blazer / Signature / F	Standard	Small
CS Hunter Pro	Standard	Blazer / Signature	Standard	Small
ICS Hunter Lost Camo	Standard	Blazer / Signature	Standard	Small
MFX	Small	A Nock	A Nock	Small
Nightfall	Small	A Nock	A Nock	Small
Pork Chop	Large	HE Nock	HE Nock	Large
Pork Chop Crossbow	Large	Half Moon or Flat	Crossbow	Large
Spe3d	Standard	Blazer / Signature / F	Standard	Small

Black Eagle	Wrap	Nock	Tower Jig Post	Tower Jig Ring
Carnivore	Standard	Blazer / Signature	Standard	Small
Challenger	Large	Blazer / Signature / F / Pin (bushing)	Standard / F	Large
Deep Impact	Small	F Nock	F Nock	Small
Executioner	Large	.303 Half Moon or Flat	Crossbow	Large
Magnum	XL	Blazer / Signature / F (bushing)	Standard / F	XL
Outlaw	Standard	Blazer / Signature	Standard	Small
Outlaw Pink Crested Edition	Standard	Blazer / Signature	Standard	Small
Rampage	Small	A Nock	A Nock	Small
Renegade	Small	A Nock	A Nock	Small
Spartan	Standard	A Nock	Standard	Small
X-Bow	Large	.303 Half Moon or Flat	Crossbow	Large
X-Impact	XS	F Nock	F Nock	Small
Zombie Slayer	Standard	Blazer / Signature	Standard	Small
Zombie X-Bow	Large	.303 Half Moon or Flat	Crossbow	Large
PS23	Large	Blazer / Signature / F / Pin	Standard	Large

Bloodsport	Wrap	Nock	Tower Jig Post	Tower Jig Ring
Apocalypse	Standard	Blazer / Signature	Standard	Small
Athena	Standard	Blazer / Signature	Standard	Small
Bloodsport 1	Small	F / Pin	F Nock	Small
Blood Sport 2	Standard	Blazer / Signature	Standard	Small
BS Three	XL	Pin or N/A	Pin Nock	XL
BS Four	XL	Pin or N/A	Pin Nock	XL
FPS Hunter	Standard	Blazer / Signature	Standard	Small
Impact Hunter	Small	F / Pin	F Nock	Small
Judgement	Standard	Blazer / Signature	Standard	Small
Punisher	Standard	Blazer / Signature	Standard	Small

Gold Tip	Wrap	Nock	Tower Jig Post	Tower Jig Ring
Falcon Youth	Standard	Blazer / Signature	Standard	Small
Fiberglass Youth	Standard	Classic	N/A	Small
Hunter	Standard	Blazer / Signature / F (Bushing)	Standard	Small
Kinetic	Small	A Nock	A Nock	Small
Laser II	Large	.303 Half Moon	Crossbow	Large
Laser III	Large	.303 Half Moon	Crossbow	Large
Laser IV	Large	N/A	Crossbow	Large
Lightning Youth	Standard	Blazer / Signature	Standard	Small
Name The Game	Standard	Blazer / Signature / F (Bushing)	Standard	Small
Nine .3 Max	Large	Standard / Blazer / Pin (Bushing)	Standard / Pin	Large
Pierce	XS	Pin (Bushing)	Pin	Small
Team Primos	Standard	Blazer / Signature / F (Bushing)	Standard	Small
Ted Nugent	Standard	Blazer / Signature / F (Bushing)	Standard	Small
Traditional	Standard	Blazer / Signature / F (Bushing)	Standard	Small
Twister	Standard	A Nock	A Nock	Small
Ultralight	Standard	Blazer / Signature / F (Bushing)	Standard / F	Small
Velocity	Standard	Blazer / Signature / F (Bushing)	Standard	Small



Carbon Express	Wrap	Nock	Tower Jig Post	Tower Jig Ring
Carbon Rebel	Large	Blazer / Signature	Standard	Large
Carbon Rebel Hunter	Large	Blazer / Signature	Standard	Large
CXL Pro	Large	Pin Nock	Pin Nock	Large
Flu Flu	Large	Blazer / Signature	Standard	Large
Game Slayer	Large	Blazer / Signature	Standard	Small
Heritage	Standard	Blazer / Signature	Standard	Small
Hot Pursuit	Standard	HE Nock	HE Nock	Small
Line Jammer Pro	XL	Pin Nock	Pin Nock	XL
Maxima Blu RZ	Standard	Blazer / Signature	Standard	Small
Maxima Blu RZ Select	Standard	Blazer / Signature	Standard	Small
Maxima Blue Streak	Standard	Blazer / Signature	Standard	Small
Maxima Blue Streak (Crossbolt)	Large	.2985 Half Moon or Flat	Crossbow	XL
Maxima Blue Streak Select	Standard	Blazer / Signature	Standard	Small
Maxima Hunter	Standard	Blazer / Signature	Standard	Small
Maxima Hunter (Crossbolt)	Large	.2985 Half Moon or Flat	Crossbow	Large
Maxima Mathews	Standard	Blazer / Signature	Standard	Small
Maxima Red	Standard	Blazer / Signature	Standard	Small
Mayhem	Standard	Blazer / Signature	Standard	Small
Mayhem (Crossbolt)	Large	.2985 Half Moon or Flat	Crossbow	Large
Mayhem Hot Pursuit	Standard	Blazer / Signature	Standard	Small
Mayhem Hunter	Standard	Blazer / Signature	Standard	Small
Medallion-Pro	XS	Pin Nock	Pin Nock	Small
Medallion XR	XS	Pin Nock	Pin Nock	Small
Mutiny	Standard	Blazer / Signature	Standard	Small
Mutiny Slasher	Standard	Blazer / Signature	Standard	Small
Nano Pro	XS	Pin Nock	Pin Nock	Small
Nano Pro Extreme	XS	Pin Nock	Pin Nock	Small
Nano SST	XS	Pin Nock	Pin Nock	Small
Nano XR	XS	Pin Nock	Pin Nock	Small
Piledriver (Crossbolt)	Large	.2985 Half Moon or Flat	Crossbow	Small
Pile Driver Extreme	Small	A Nock	A Nock	Small
Pile Driver Hunter	Standard	Blazer / Signature	Standard	Small
Predator	N/A	N/A	F Nock	Small
Predator II	N/A	N/A	F Nock	Small
Terminator XP	Large	Blazer / Signature	Standard	Large
Thunder Express Youth	Small	Blazer / Signature	Standard	Small
ThunderStorm	Standard	N/A	F Nock	Small
X-Buster	Large	Pin Nock	Pin Nock	Large
X-Jammer 27 Pro	XL	Pin Nock	Pin Nock	Small
Whitetail	Standard	Blazer / Signature	Standard	Small
Whitetail (Crossbolt)	Large	.2985 Half Moon or Flat	Crossbow	Large

Easton	Wrap	Nock	Tower Jig Post	Tower Jig Ring
AC Pro Field	Standard	F / Pin	F / Pin	Small
ACC	XS	F Nock	Standard	Small
ACC Pro Hunting	Small	HE Nock	HE Nock	Small
ACE	Small	F / Pin	F / Pin	Small
ACG	XS	F / Pin	F / Pin	Small
Aftermath	Small	HE Nock	HE Nock	Small
Apollo	Small	F / Pin	F / Pin	Small
Axis	Small	A Nock	A Nock	Small
BloodLine	Small	HE Nock	HE Nock	Small
Bloodline Camo	Small	HE Nock	HE Nock	Small
Bloodline Crossbow	Large	Half moon or Flat	Crossbow	Large
Bowfire	Standard	Blazer / Signature	Standard	Small
Camo Hunter XX75	Standard	Blazer / Signature	Standard	Small
Carbon One	Small	F / Pin	F / Pin	Small
da'Torch	Standard	Blazer/Signature/A	Standard	Small
Deep Six FMJ	Small	F Nock	F Nock	Small
Deep Six Injexion	Small	F Nock	F Nock	Small
Epic	Standard	HE Nock	HE Nock	Small
Fat Boy	Large	Blazer / Signature / F (bushing)	Standard / F	Large
F Nock	Standard	F Nock	Standard	Small
Flatline	Standard	Blazer / Signature	Standard	Small
Flatline Crossbow	Large	Half Moon or Flat	Crossbow	Large
FMJ	Small	A Nock	A Nock	Small
FMJ Crossbow	Large	Half Moon or Flat	Crossbow	Large
FMJ Dangerous Game	Small	A Nock	A Nock	Small
Full Bore	XL	Blazer / Signature / F (bushing)	Standard / F	Small
Gamegetter	Standard	Blazer / Signature (bushing)	Standard	Small
H Nock	Standard	HE Nock	HE Nock	Small
Нехх	Small	HE Nock	HE Nock	Small
ION	Small	HE Nock	HE Nock	Small
Legacy	Standard	Legend	Swedge	Small
Light Speed 3D	Standard	F Nock	Standard	Small
Neos	Small	Legend	Swedge	Small
Nemesis	Small	HE Nock	HE Nock	Small
Realtree	Small	A Nock	A Nock	Small
SuperDrive 23	Large	Blazer / Signature	Standard / F / Pin	
SuperDrive 25	XL	Blazer / Signature	Standard / F / Pin	
Traditional	Small	A Nock	A Nock	Small
Under Armour Axis	Small	HE Nock	HE Nock	Small
X7 Eclipse	Large / XL	Blazer / Signature / F (bushing)	Standard / F	Large / XL
X10	XS XS			
		Pin Nock	Pin Nock	Small
X10 Protour	XS .	Pin Nock	Pin Nock	Small
X23 Shafts	Large	Blazer / Signature / F (bushing)	Standard / F	Large
X27 Shafts	XL	Blazer / Signature / F (bushing)	Standard / F	XL
XX75 Genesis	Standard	F / Legend	Standard / F	Small
XX75 Jazz	XS .	Legend	Swedge	Small
XX75 Magnum X Bow	Large	Half Moon or Flat	Crossbow	Large
XX75 Platium Plus	Large	Blazer / Signature / F	Standard	Large
XX75 Tribute	Standard	Legend	Swedge	Small
23/64	Large	Blazer / Signature / F (bushing)	Standard / F	Small
27/64	XL	Blazer / Signature / F (bushing)	Standard / F	XL



Victory	Wrap	Nock	Tower Jig Post	Tower Jig Ring
Ares	Standard	Blazer / Signature	Standard	Small
Performance Junior	Standard	Blazer / Signature	Standard	Small
Pink Arrow Proj	Standard	Blazer / Signature	Standard	Small
Rip	Small	A Nock	A Nock	Small
Rip Camo	Small	A Nock	A Nock	Small
VAP	XS	F Nock	F Nock	Small
VAP Camo	XS	F Nock	F Nock	Small
VAP Pink	XS	F Nock	F Nock	Small
VAP VooDoo	XS	N/A	Swedge	Small
Venus	Standard	Blazer / Signature	Standard	Small
VForce	Standard	Blazer / Signature	Standard	Small
VForce Camo	Standard	Blazer / Signature	Standard	Small
VForce HV	Standard	Blazer / Signature	Standard	Small
VForce JR	XS	Blazer / Signature	Standard	Small
VForce Pink	Standard	Blazer / Signature	Standard	Small
VX23	Large	Pin Nock	Pin Nock	Large
VX25	Large	Pin Nock	Pin Nock	Large
VX27	XL	Pin Nock	Pin Nock	XL
X-Killer	XL	Pin Nock	Pin Nock	XL
Xbolt	Large	.303 Half Moon	Crossbow	Large

REFERENCE GUIDE 52

BOHNING SHOOTING STAFF



Art Brown



Bill Epeards




Brian Anderson



Cara Kelly



Curt Wells



Dan Stanton



Jacopo Polidori (Italy)



Jean Chataigner (Belgium)



Jean Galoppin (Belgium)



John Barklow



Jon Brunson




Jordan Mitchell (Ireland)



Kiviok Hight



Lexi Keller



Nathan Gerard (Belgium)

BOHNING SHOOTING STAFF



Brad Bentley




Brad Christian




Cam Hanes



Danny Evans



Gina Brunson



Jace Bauserman



Jeff Fabry



Jeff Helm



Jeremy Thierry (France)



Juha Kylma



Kailey Johnston



Kirk Clark



Pedro Ampuero



Stephane Boissau (France)



Tom Nelson

