



BOHNING

2017 ARCHERY CATALOG

WWW.BOHNING.COM



New Products for 2017



Fletch Fuse
Pg. 12



Visi-Wraps
Pg. 19



**Wrap Around
Number Decals**
Pg. 19



**True Color Wrap
& Vane Combos**
Pg. 20



**True Color
Vane Designs**
Pg. 22, 24



Heat Vane
Pg. 23




Grit Guard
Pg. 31



The Shelter
Pg. 41



Standing Soft Case
Pg. 42



D-Flector Armguard
Pg. 43



Arrow Pen Ferrules
Pg. 44





Bohning Archery is an industry-leading manufacturer of arrow building products. Located in Lake City, Michigan since 1946, Bohning stays true to its founding principles and continues to innovate new products that solve problems in the archery industry. The company also maintains its long-standing commitment to excellence in customer service, manufacturing and delivery.

For tutorials, tech tips, and all the latest news, follow us on:



Bohning Archery



@bohningarchery



Bohning Archery



bohningarchery

Table of Contents

Arrow Building	3
Wraps, Vanes, & Nocks	13
String Care	31
Crossbow	33
Bowfishing	34
Quivers	37
Accessories	41
Kits	45
Apparel	48
SnapFit™ Display	49
Reference Guide	51



ARROW BUILDING



The "Stripper"

- Strips fletchings, glue and arrow wraps
- Safe cutting angle for all shaft types
- Replacement blades sold separately

1524 - Stripper

15240 - The "Stripper" Blades: 3pk



🔥 The "Strip-Pro"

- 2 blades for ergonomic versatility
- Heavy-duty handle and steel blade
- Easily strip your arrow shaft of fletchings, glue and arrow wraps
- Replacement blades sold separately

801025LM - Strip-Pro

801026 - The "Strip-Pro" Blades: 3pk



Wrap Adhesive Remover

- Citrus-based cleaner removes wrap residue & other contaminants
- Spray shaft or paper towel with Wrap Adhesive Remover & wipe clean
- Rinse shaft with SSR & warm water before fletching

1152 - 4 oz. (118 ml) Pump Bottle



SSR Arrow Shaft Cleaner

- Concentrated cleaning powder removes dirt, grease, residue & contaminants from arrow surface for maximum fletching adhesion
- For use on carbon, aluminum & fiberglass shafts
- Just add water

801050 - 4 oz. Shaker Bottle

1155 - Pint

1156 - Quart



Dip Kit

- The kit includes 1 glass dip tube, 1 arrow hanger, 2 pints of White Acry-Lac, 2 pints of Clear Acry-Lac, & 3 Dip'n Plug rings
- Dip tube holds up to 4 arrows at a time
- Tube accommodates up to 11" crown dip

801094 - Dip Kit

801095 - Dip Tube

801098 - Arrow Hanger

801100 - Dip'n Plug Ring



Professional Cresting Kit

- The kit includes: 1 Crester, 6-1 oz. jars of Acry-Lac paint (black, red, yellow, blue, silver, & gold), & 4 paint brushes (hairline, 1/8", 1/4" & 1/2")
- 130-440 RPM range
- Reversible pattern rest: English & metric
- US & International power supplies(110V or 220V INT) available
- New carbon-brush motor: quieter, beefier & longer-lasting.

801083 - Cresting Kit

801083INT - International Cresting Kit

801084 - Crester

801084INT - International Crester

A Fletch-Lac Fluorescent Lacquer

- For use with dipping or crestring
- For best results a white base coat is recommended
- 2 to 3 times brighter than standard gloss colors

1412 - 1 oz. Jar
1109 - Pint
1110 - Quart
1111 - Gallon

C Fletch-Lac Gloss Lacquer

- Dries to a hard, chip-resistant, high-gloss finish
- For use with dipping or crestring

1412 - 1 oz. Jar
1105 - Pint
1106 - Quart
1107 - Gallon

E Acry-Lac

- Base coat that provides a matte finish
- Provides maximum vane adhesion on any arrow shaft
- For use with dipping or crestring

301006 - 1 oz. Jar
301007 - Quart (Not Available in GD, SL)
301008 - Gallon (White & Clear Only)

B Fletch-Lac Metallic Lacquer

- Gold & silver metallic
- For use with dipping or crestring

1412 - 1 oz. Jar
1101 - Pint
1102 - Quart
1103 - Gallon

D Fletch-Lac Flat White

- Base coat that provides a matte finish
- Provides maximum vane adhesion on any arrow shaft
- For use with dipping or crestring

1161 - Pint
1162 - Quart
1163 - Gallon



A	BO Blaze Orange
	SY Saturn Yellow
B	SL Silver
	GO Gold
C	RD Red
	OR Orange
	YE Yellow
	GR Green
	BL Blue
	WH White
	BK Black
D	WH White
	HP Hot Pink
	RD Red
	NR Neon Red
	NO Neon Orange
	YE Yellow
	NY Neon Yellow
E	NG Neon Green
	BL Blue
	PU Purple
	SL Silver
	GD Gold
	BK Black
	WH White
	Also in: CL Clear



Fletch-Lac Coatings

Blue Clear (BC) & Clear (CL)

- Wood shaft seal coat or base dip for shafts to maximize adhesion
- Blue Clear produces sharper, brighter colors when dipped over white
- Not recommended for dipping over crested arrows
- Specify color when ordering

1124 - Pint

1125 - Quart

1126 - Gallon

Supercoat

- Single coat wood shaft seal
- Cures to a hard protective finish for dipped shafts
- Not recommended for dipping over crested arrows

1120 - Pint

1121 - Quart

1122 - Gallon



Fletch-Lac Thinners

- For use with all Fletch-Lac Products
- Not for use with adhesives

1131 - Pint

1132 - Quart

1133 - Gallon



Feather-Dri

- Protect your feathers from the weather
- Colorless, odorless, water-repellent powder
- Includes bag to shake powder onto fletched feathers

1611 - Bottle

DIPPING & CRESTING SUPPLEMENTAL PARTS



Cresting Brushes

- Bristles of Pony hair & Red Sable

1400 - Hairline

1401 - 1/8"

1402 - 1/4"

1403 - 1/2"



Universal Arrow Box

- Each box holds 12 arrows, up to 36"
- Dimensions: 36.5" x 6" x 2.5"


1623 - 50 pk



"Boa" Arrow Pad

- Holds 12 arrows ranging from Nano to 27/64"

16092 - White



"Python" Arrow Pad

- Holds 12 arrows ranging from Nano to 27/64"

801047 - White

801047RD - Red (while supplies last)



FLETCHING JIGS

TOWER® FLETCHING JIG


- Fletch all 3 vanes at once
- Vanes precisely 120° apart
- Each Tower® comes with: Universal Tower® base, arms & center posts, clamp release tape, Tower® rings to accommodate any shaft size, and an allen wrench
- Great for repairs
- The Tower® jig base is compatible with all tower arms - no need to purchase additional jigs!



🔥 Triple Tower®

- Includes 3 sets of arms to fletch vanes at 3 different angles: **Straight** (Up to 4"/101mm long), **1° right offset** (Up to 4"/101mm long), or **3° right helical** (Up to 2.25"/57mm long)
- Includes center posts for standard carbon, F nock, HE nock, A nock, pin nock, & crossbow-sized shafts

12963 - Triple Tower®



Helix Tower®

- Fletches vanes with **3° right helical** (Up to 2.25"/57mm long)
- Includes center posts for standard carbon, F nock, HE nock, A nock, pin nock, & crossbow-sized shafts

12962 - Helix Tower®



Impulse™ Tower®

- Fletches vanes with **1° right offset** (Up to 4"/101mm long)
- Designed for Impulse™ vanes
- Includes center posts for pin nock, F nock, & standard carbon sized shafts

601006 - Impulse™ Tower®



Crossbow Tower®

- Fletches vanes at a **3° right helical** (Up to 2.25"/57mm long) or **1° right offset** (Up to 4"/101mm long)
- Designed for shaft sizes up to .350"
- Includes only crossbow center post


601001 - Crossbow Tower®



Mylar Tower®

- Fletches vanes straight (Up to 3.75"/95mm long)
- Adjustable red clip to suit left-handed and right-handed fletching
- Includes center posts for standard carbon, F nock, & pin nock-sized shafts

601035 - Mylar Tower®



Feather Tower®

- Fletches feathers with **2° right or left offset** (Up to 5"/127mm long)
- Includes right & left wing Tower® arms
- Includes center posts for swedged shafts, F nock, & standard carbon sized shafts

601010 - Feather Tower®

TOWER JIG® SUPPLEMENTAL PARTS



Tower® Rings

- Red for standard-size shafts or smaller, Lime for larger shafts, and Orange for extra-large shafts (size 21/64 and larger.)

601017 - Small Ring (Red)

601018 - Large Ring (Lime)

601036 - XL Ring (Orange)



Tower® Jig Center Posts

601011 - Standard

601012 - Pin Nock

601013 - F Nock

601014 - A Nock

601015 - Crossbow

601016 - Swedged

601030 - H.E. Nock



Clamp Release Tape

- For use on all fletching jigs to prevent glue build-up.

1319 - 2 Pieces

13192 - 20 Pieces (Bulk)



Tower® Jig Spacer Plates

- Adds 1/4" (6.35mm) of additional space between the nock & vanes.

80211 - Spacers



Tower® Jig Arms

1202 - 3° Right Helical Arms (Black): Fletches vanes up to 2.25"/57mm long

1201 - Straight Arms (Gray): Fletches vanes up to 4"/101mm long

1200 - 1° Right Offset Arms (Red): Fletches vanes up to 4"/101mm long

601007 - 1° Right Offset Impulse™ Arms (Yellow): Fletches vanes up to 4"/101mm long

601024 - Mylar Vane Arms (Gray w/ red clip): Fletches vanes up to 3.75"/95mm

601008R - 2° Right Wing Feather Arms (Blue): Fletches feathers up to 5"/127mm long

601008L - 2° Left Wing Feather Arms (Green): Fletches feathers up to 5"/127mm long



Complete Tower® Jig Kit

- Great for clubs and families
- All the Tower Jig options in one purchase:
 - One set of each arm: 3° Right Helical Arms (Black), Straight Arms (Gray), 1° Right Offset Arms (Red), 1° Right Offset Impulse™ Arms (Yellow), 2° Right Wing Feather Arms (Blue), 2° Left Wing Feather Arms (Green), & Mylar Arms (Gray w/ red clip)
 - Seven center posts: Standard, Pin nock, F nock, A nock, Crossbow, Swedged, & H.E. nock
 - Three rings: Small, Large, & Extra-Large
 - Spacer plates
 - Clamp release tape

601027 - Complete Tower® Jig Kit



Complete Arrow Repair Kit

- Get started repairing arrows with one handy kit
- Help your customers customize and personalize their arrows
- Includes:
 - Blazer Helix Fletching Jig
 - Strip-Pro for removing vanes, glue & wraps
 - Packet of SSR shaft cleaner
 - Deluxe Broadhead Wrench with nock indexing tool. Fits 2, 3, & 4 fixed blade broadheads
 - Three 3-gram tubes of Instant Gel for vanes, feathers, points, inserts & nocks
 - DVD with step-by-step instructions on arrow repair
 - Clamp release tape

601040 - Arrow Repair Kit

CHECK US OUT ON YOUTUBE

For product overviews, how-to's, and more!



Bohning Archery

Bohning Tower Jig Introduction

Bohning Archery

Subscribe 1,959

389 views

Published on May 3, 2016

Description

Tower Jig Series

Bohning Archery • 1/6 videos

- Bohning Tower Jig Introduction
- Bohning Tower Jig Assembly
- Bohning Tower Jig Maintenance
- Fletching with the Tower Jig
- Bohning Mylar Tower Jig- Overview
- Bohning Mylar Tower Jig and Fletching Tape Dispenser Use

Fletching with the Tower Jig

Bohning Archery

270 views

3:18

Bohning Tower Jig Assembly

Bohning Archery

251 views

2:42



Blazer® Helix Jig

- Fletches vanes with 3° right helical
- Fletch up to 2.25" (57mm) vanes
- Designed for .293-.306 shaft sizes ("Standard Carbon")

1344 - Blazer® Helix Fletching Jig



Blazer® Straight Jig

- Fletches vanes straight
- Fletch up to 2.25" (57mm) vanes
- Designed for smaller diameter shafts

1345 - Blazer® Straight Fletching Jig



The Big Jig

- Fletches up to 4" (127 mm) long vanes
- Capable of 3 or 4 fletch application (3 vanes at 120° apart, 4 vanes at 90° apart or 60°-120°-60°-120°)
- Includes two clamps to fletch vanes at 1° right offset or 3° right helical

1320 - Big Jig

601004 - Crossbow Receiver

601009 - 4 Fletch Adapters



Pro Class Jig

- Adjusts to accommodate all shaft sizes
- Set your own degree of offset
- Capable of 3 or 4 fletch application (3 vanes at 120° apart or 4 vanes at 90° apart)
- Fletch vanes or feathers up to 5.5" (139.7mm)
- Not designed for swaged back arrow shafts

1348 - Pro Class Jig (Straight)

1349 - Pro Class Jig (Right Wing)

1350 - Pro Class Jig (Left Wing)

601004 - Crossbow Receiver

601009 - 4 Fletch Adapters

BLAZER® HELIX & STRAIGHT JIG, THE BIG JIG and PRO CLASS JIG SUPPLEMENTAL PARTS



Blazer® Helix & Straight Clamp

8251 - Helix Clamp (Black)

8250 - Straight Clamp (Gray)



Big Jig Clamps

8361 - 3° Right Helical (Black)

8362 - 1° Right Offset (Red)

601051 - 3° Helical Impulse™ (Yellow)

601052 - 1° Offset Impulse™ (Yellow)



Pro Class Clamps

1351 - Straight

1352 - Right Wing

1353 - Left Wing



Clamp Release Tape

- For use on all fletching jigs to prevent glue build-up.

1319 - 2 Pieces

13192 - 20 Pieces (Bulk)



ADHESIVES



Fletch-Tite Platinum

- Solvent-based glue designed for vanes & feathers
- Works on carbon, aluminum, wood & fiberglass shafts
- Clamp time 5 minutes, cure time 48 hours
- Flexible & durable, best in low-humidity conditions
- Bond increases over time

1301 - 3/4 oz. Tube

1356 - Pint

1357 - Quart

1358 - Gallon

301040 - 40 pk (Clam-Shelled)

301030 - 200 Tubes 3/4 oz. (Clam-Shelled)

*301040EQ - 40 pk (Clam-Shelled)

*301030EQ - 200 pk (Clam-Shelled)

*Packed to meet "Excepted Quantities" International ocean and air transportation requirements in order to reduce dangerous-goods fees



Fletch-Tite Platinum® Thinner

- Formulated for use with Fletch-Tite Platinum®
- Do not over-thin adhesive!
- Never exceed 2% by volume

1134 - Pint

1135 - Quart

1136 - Gallon



Blazer Bond

- Instant glue designed for vanes, feathers & nocks
- Works on all shaft types
- Clamp time 20 seconds, cure time 2 hours
- Use a very thin bead for best adhesion
- Great for fletching in humid conditions

301015 - 1/2 oz. Bottle

301016 - 1 oz. Bottle



NEW Fletch Fuse

- Designed for vanes, feathers & nocks
- Works on all shaft types
- Clamp time 30 seconds, cure time 2 hours
- Budget friendly

301025 - 1/2 oz. Bottle



Insert Iron

- Designed for points & inserts
- Works on all shaft types
- 72 hour cure time (48 hours if air is humid)

1317 - 1 oz. Bottle



VISIT OUR YOUTUBE PAGE

To learn how to setup and use the Bohning Fletching Tape Dispenser



Bohning Archery

Fletching Tape Dispenser

- Works great with the Bohning Feather and Mylar Tower Fletching jigs
- Automatically separates backing from tape—no more peeling by hand!
- Easy to hold at multiple angles
- Refillable
- One roll fletches over a dozen arrows with 5" fletchings or 3 dozen arrows with 2" fletchings
- For use with 20' rolls of tape only

801090 - Tape Dispenser

801091 - Replacement Tape (20' Rolls) 3pk



Instant Gel

- Instant glue designed for vanes, feathers, points, inserts & nocks
- Works on all shaft types
- Clamp time 2 minutes, cure time 4 hours

1305 - 3 Gram Tube

1639 - 16 pk (Bulk)



Fletching Tape

- Designed for feathers & Mylar vanes
- Works on all shaft types
- Length 720" (18.3m), width .1875" (4.76mm)
- Machine-cut without lubricant so no dead zones in the roll
- One roll fletches approximately 40 arrows

1649 - 60' Roll

Ferr-L-Tite Cool Flex

- Designed for points & inserts
- Works with carbon, wood & aluminum shafts
- Low-temp hot-melt adhesive
- Fully cured in cold water & hot water reversible
- Excellent for tuning broadheads

1308 - 12 Gram Stick

1368 - 1 lb. Brick

13081 - 16 Sticks (Bulk)

13082 - 250 Sticks (Bulk)



THE ORIGINAL
BOHNING
PRODUCT



Ferr-L-Tite

- Designed for points & inserts
- Works with wood & aluminum shafts
- Heat-reversible for adjustment, replacement or removal

1309 - 12 Gram Stick

1339 - 1 lb. Brick

1633 - 16 Sticks (Bulk)

31001 - 250 Sticks (Bulk)

Alcohol Burner

- Ideal for installation of hot melt adhesives
- Use denatured alcohol (not included)
- Holds 4 ounces

1315 - Burner

1316 - Extra Wick



Regular

Deluxe

Dispenser Bottles

- Reclosable 2 ounce bottle
- Regular has larger cap opening designed for use with solvents & thinners
- Deluxe has small nozzle for precise application, designed for use with adhesives
- Each bottle has 3 parts: Bottle, nozzle & cap dispenser

1303 - Regular (Red Cap)

13031 - Deluxe (White Cap)

1304 - Regular Caps 6 pk (Caps Only)

13032 - Deluxe Caps 6 pk (Caps Only)



ARROW WRAPS

ARROW WRAPS SIZES

Place your shaft over the spots to determine which size wrap you need.



XL
25/64" - 26/64"



Large
20/64" - 24/64"



Standard
Up to 19/64"



Small
Up to 17/64"



XS
Up to 14/64"

ARROW WRAP SIZE LISTED BY ARROW SHAFT

See pages 53-57

LEARN HOW TO APPLY ARROW WRAPS

Call us to receive a copy of the Tech Guide!
231-229-4247

WIDTH OF ARROW WRAPS

XL - 1.5" (38.1mm)

Large - 1.375" (34.9mm)

Standard - 1.125" (28.6mm)

Small - 1" (25.4mm)

XS - 0.875" (22.2mm)

ARROW WRAP WEIGHTS (GRAINS)

Each wrap is within 1/2 grain tolerance

	XL	Large	Standard	Small	XS
4" HD	-	-	5.6	4.4	3.8
4" Neon	-	-	8.8	7.1	6.3
4" Tiger	10.7	9.9	8.8	7.1	6.3
4" Solid	10.7	9.9	8.8	7.1	6.3
7"	-	13	10	-	-


*** All arrow wraps come in packs of 13 wraps ***

HD WRAPS

HD Wraps

- Indicate Color Code when Ordering
- Prenumbered wraps (#1-12) - Add **NUM** to part number
- 13 Wraps per Pack

501001 - Standard
501002 - Small
501003 - XS



 **US**
Stars & Stripes

IF
Industrial Flag

 **CONF**
Confederate Flag

NCF
Neon Confederate

ICF
Industrial Confederate

 **CANF**
Canadian Flag

 **UKF**
UK Flag

 **AUSF**
Australian Flag

 **CRD**
Crested Wrap Red

 **CBL**
Crested Wrap Blue

 **CYE**
Crested Wrap Yellow

CF
Camp Fire

TF
Tribal Flames

 **WSPT**
White Splatter

PEA
Peacock

WLP
White Leopard

RRF
Red Rusted Flame

YRF
Yellow Rusted Flame

BRF
Blue Rusted Flame



 Blazin' Hot Sellers

WRAPS 14

231.229.4247 / WWW.BOHNING.COM



HD WRAPS (continued)

HD Wraps

- Indicate Color Code when Ordering
- Prenumbered wraps (#1-12) - Add **NUM** to part number
- 13 Wraps per Pack

501001 - Standard

501002 - Small

501003 - XS

PC
Pink Camo



CAMO1
Camo HD



CAMO2
Camo



BOHNING NEW

NOC
Neon Orange Camo



BMF
Cameron Hanes
Beast Mode



RWF
Red & White Flame



 **GWF**
Green & White Flame



BWF
Blue & White Flame



PF
Purple Flame



HPF
Hot Pink Flame



RX
Red X-Ray



OX
Orange X-Ray



YX
Yellow X-Ray



GX
Green X-Ray



BX
Blue X-Ray



PX
Purple X-Ray



BOHNING NEW

BLL
Blue Lightning



NEON WRAPS

Neon Wraps

- Indicate Color Code when Ordering
- Prenumbered wraps (#1-12) - Add **NUM** to part number
- 13 Wraps per Pack

501001 - Standard

501002 - Small

501003 - XS



RDD
Red Deer

ORD
Orange Deer

YED
Yellow Deer

GRD
Green Deer

HPD
Hot Pink Deer

WHD
White Deer

WTH
Whitetail Hunter



SOLID WRAPS

Solid Wraps

- Indicate Color Code when Ordering
- Prenumbered wraps (#1-12) - Add **NUM** to part number
- 13 Wraps per Pack

501031 - Standard

501032 - Small

501033 - XS



NR
Neon Red

NO
Neon Orange

 **NY**
Neon Yellow

NG
Neon Green

TL
Teal

PU
Purple

HP
Hot Pink

REF
Reflective

 **WH**
White



NY also available in: 501034 - Large 501035 - XL

HP also available in: 501034 - Large 501035 - XL

WH also available in: 501034 - Large 501035 - XL

 Blazin' Hot Sellers

WRAPS 16

231.229.4247 / WWW.BOHNING.COM



TIGER WRAPS

Tiger Wraps

- Indicate Color Code when Ordering
- Prenumbered wraps (#1-12) - Add **NUM** to part number
- 13 Wraps per Pack

501001 - Standard
501002 - Small
501003 - XS



RT
Red Tiger



WRT
White & Red Tiger



OT
Orange Tiger



YOT
Yellow & Orange Tiger



YT
Yellow Tiger



YT also available in: 501034 - Large 501035 - XL

GT
Green Tiger



GWT
Green & White Tiger



TT
Teal Tiger



WBT
White & Blue Tiger



WPUT
White & Purple Tiger



PUT
Purple Tiger



PT
Pink Tiger



PWT
Pink & White Tiger



WT
White Tiger



WT also available in: 501034 - Large 501035 - XL

CWT
Clear White Tiger



7" SOLID WRAPS

7" Solid Wraps

- Indicate Color Code when Ordering
- Prenumbered wraps (#1-12) - Add **NUM** to part number
- 13 Wraps per Pack

501051 - Standard

NR
Neon Red



NO
Neon Orange



NY
Neon Yellow



NY also available in: 501054 - Large


NG
Neon Green



HP
Hot Pink



 **WH**
White



WH also available in: 501054 - Large

7" PRINTED WRAPS

7" Printed Wraps

- Indicate Color Code when Ordering
- Prenumbered wraps (#1-12) - Add **NUM** to part number
- 13 Wraps per Pack

501041 - Standard

RT
Red Tiger



OT
Orange Tiger



YT
Yellow Tiger



WT
White Tiger



YAB
Yellow Airbrush



Birch





NEW Visi-Wrap

- 3 sets of 12 highly-reflective decal wraps
- Fits arrows up to standard-diameter
- Great way to find arrows in poor light conditions

501018BL - Bohning Logo Visi-Wraps
501018TS - Tiger Visi-Wraps



NEW Wrap Around Number Decal

- 16 sets of numbers 1-12
- Fits arrows up to standard-diameter
- Excellent way to identify the best arrows in a set

501012WA - Wrap Around Number Decal



Arrow Number Decals

- 16 sets of numbers 1-12
- Excellent for archery clubs & kids' programs
- The ideal way to mark each archer's arrows
- Excellent way to identify the best arrows in a set

501012MC - Multi Color



Custom Arrow Wraps & Vanes

- 250 minimum order for wraps
- 1,000 minimum order for vanes
- Artwork can be provided or we can create it for you!
- Call 231-229-4247 for more info





TRUE COLOR WRAP AND VANE COMBOS



True Color Wrap and Vane Combos

- Designed to take arrow customization/personalization to a new level with corresponding Blazer® Vanes and wraps.
- Includes:
 - 12 Arrow Wraps (standard size)
 - 24 True Color Blazer Vanes
 - 12 White Blazer Vanes

- 101040AF - American Flag Combo
- 101040BRF - Blue Rusted Flame Combo
- 101040CAMO - Camo Combo
- 101040RWF - Red & White Flame Combo
- 101040PF - Purple Flame Combo
- 101040BWF - Blue & White Flame Combo
- 101040WSPT - White Splatter Combo
- 101040PC - Pink Camo Combo
- 101040CONF - Confederate Flag Combo
- 101040WLP - White Leopard Combo
- 101040CANF - Canadian Flag Combo





VANES



🔥 Blazer® Vanes

- The original 2" vane - Top vane since its inception over 10 years ago
- Universal vane that is great for any broadhead, crossbows & 3D archery
- 1.987" (50.47mm) in length, 0.568" (14.42mm) in height, average 6 grains in weight

10831 - 36 pk
10832 - 100 pk
10833 - 1000 pk

This is the vane that has dropped more jaws, hung more trophies, convinced more skeptics, and provided more big silly grins than all the "Knock-Off", "Wanna-Be", & "Copy-Cat" vanes combined! This is the vane that, hands down, out-performs them all!



Solid

RD Red	NR Neon Red	NO Neon Orange	NY Neon Yellow	KW Kiwi	NG Neon Green	TL Teal	SB Satin Blue	BL Blue
PU Purple	HP Hot Pink	SG Satin Gold	SL Silver	SW Satin White	WH White	BK Black	NY2BMB Camouflage Beast Mode	

Tiger

RT Red Tiger	OT Orange Tiger	YT Yellow Tiger	GT Green Tiger	PT Pink Tiger	WT White Tiger	TT Teal Tiger	PUT Purple Tiger

WHICH VANE SHOULD YOU USE?

The complete Bohning vane guide can be found on page 51

True Color Blazer® Vanes

- The original 2" vane
- Universal vane that is great for any broadhead, crossbows & 3D archery
- 1.987" (50.47mm) in length, 0.568" (14.42mm) in height, average 6 grains in weight


10831 - 36 pk
10832 - 100 pk
10833 - 1000 pk



Blazer® X2

- Best for outdoor field, 3D & FITA, not recommended for fixed-blade broadheads
- Lower profile, shorter version of the Blazer® vane
- Designed to maintain flatter trajectory & maximize steerage
- 1.85" (47mm) in length, 0.43" (10.9mm) in height, average 4 grains in weight

10762 - 100 pk
10763 - 1000 pk



Mini Blazer®

- Designed for 3D target archery, not recommended for fixed-blade broadheads
- Blazer® vane material
- 1.5" (38.1mm) in length, 0.45" (11.43mm) in height, average 4.5 grains in weight

10842 - 100 pk
10843 - 1000 pk





Micro Blazer®

- Designed for target archery, not recommended for broadheads
- Blazer® vane material
- 1" (25.4mm) in length, 0.4" (10.2mm) in height, average 2 grains in weight

10822 - 100 pk
10823 - 1000 pk



NEW Heat Vane

- Low-profile Hunting Vane that is great for any broadhead & 3D archery
- Lightweight vane made of stiffer material
- 2.5" (63.5mm) in length, 0.41" (10.4mm) in height, average 6 grains in weight

101036 - 36 pk
101037 - 100 pk
101038 - 1000 pk



Killer® Vane

- Recommended for hunting & indoor spot shooting
- Long profile similar to traditional feathers but with superior durability
- Blazer® Vane material
- 4" (101.6mm) in length, 0.5" (12.7mm) in height, average 12.5 grains in weight

10501 - 36 pk
10502 - 100 pk
10503 - 1000 pk



🔥 Air Vane

- Designed for field archery
- Great for long distances and lighter arrows
- Same ultra-low profile height as the Ice Vane, with an X Vane-inspired tail
- Made with Blazer® material for superior durability
- 2" (50.8mm) in length, 0.3" (7.62mm) in height, average 4.5 grains in weight

101026 - 36 pk
101027 - 100 pk
101028 - 1000 pk





Ice Vane

- Designed for outdoor target shooting
- Provides excellent aerodynamic stability (ideal in windy conditions)
- Made with Blazer® material for superior durability
- 3" (76.2mm) in length, 0.3" (7.62mm) in height, average 6.5 grains in weight

101021 - 36 pk

101022 - 100 pk

101023 - 1000 pk



RD
Red

NR
Neon Red

NO
Neon Orange

NY
Neon Yellow

NG
Neon Green

SB
Satin Blue



BL
Blue

PU
Purple

HP
Hot Pink

WH
White

BK
Black

True Color



X Vane™ - Parabolic

- Great for target archery, crossbows & hunting
- Made with Blazer® vane material
- 3" (76.2mm) in length, 0.430" (10.9mm) in height, average 8.5 grains in weight

10771 - 36 pk

10772 - 100 pk

10773 - 1000 pk



RD
Red

NO
Neon Orange

NY
Neon Yellow

NG
Neon Green



SB
Satin Blue

HP
Hot Pink

WH
White

BK
Black



X Vane™ - Shield Cut

- Designed for field & FITA style archery and NASP Approved
- Made with Blazer® vane material
- 1.5" (38.1mm) in length, 0.3" (7.62mm) in height, average 3 grains in weight
- 1.75" (44.5mm) in length, 0.375" (9.53mm) in height, average .5 grains in weight
- 2.25" (57.2mm) in length, 0.325" (8.25mm) in height, average 5 grains in weight
- 3" (76.2mm) in length, 0.5" (12.7mm) in height, average 10 grains in weight
- 3.5" (88.9mm) in length, 0.5" (12.7mm) in height, average 12 grains in weight

1.5", 1.75", 2.25", 3" & 3.5"

10771 - 36 pk

10772 - 100 pk

10773 - 1000 pk

1.5", 1.75", 2.25"



RD
Red

NR
Neon Red

NO
Neon Orange

NY
Neon Yellow

NG
Neon Green

SB
Satin Blue



BL
Blue

PU
Purple

HP
Hot Pink

SL
Silver

WH
White

BK
Black

True Color



AF
American Flag 1.5"

UKF
Union Jack 1.75"

3" & 3.5"



RD
Red

NO
Neon Orange

NY
Neon Yellow

NG
Neon Green

SB
Satin Blue



HP
Hot Pink

SL
Silver

WH
White

BK
Black



Impulse™ Vane

- Revolutionary lightweight composite material
- Best for recurve bows
- Very low-profile for resistance to strong crosswinds & unpredictable weather
- 3" (76.2mm) in length, 0.3" (7.62mm) in height, average 4 grains in weight
- 4" (101.6mm) in length, 0.3" (7.62mm) in height, average 5 grains in weight

101008 - 3" 40 pk
101007 - 3" 100 pk
101006 - 3" 1000 pk

101011 - 4" 40 pk
101010 - 4" 100 pk
101009 - 4" 1000 pk



Impulse™ Deux

- Revolutionary lightweight composite material
- Designed for field or 3D compound shooters
- 2" (50.8mm) in length, 0.39" (9.9mm) in height, average 3 grains in weight

101018 - 40 pk
101017 - 100 pk
101016 - 1000 pk



Impulse™ First Flight

- High-profile vane designed for archers traditionally using natural feathers, ideal for indoor spots
- Revolutionary new lightweight composite material minimizes the impact upon contact
- 4" (102mm) in length, 0.5" (12.7mm) in height, average 7.5 grains in weight

101015 - 40 pk
101014 - 100 pk
101013 - 1000 pk



Bolt Vane

- Designed specifically for Crossbows to withstand higher velocity and stabilize bolts for up to 100 yards
- Made of stiffer vane material
- Prevents vane flap for a smooth bolt rotation
- Primed base for optimum adhesion
- Extremely quiet & durable
- 3.5" in (88.9mm) length, 0.5" (12.7mm) in height, average 11.5 grains in weight

101033 - 36 pk
101034 - 100 pk
101035 - 1000 pk



FLETCHING ALTERNATIVES




Blazer® Stretch Fletch™

- Designed for standard carbon shafts with an OD of .293 - .306"
- Simply slide in place, use adhesive if desired
- Molded of Blazer® material & vanes on a 3° right helical
- 2.23" (56.6mm) in length, average 40 grains in weight

101012 - 6 pk (Includes tube of Fletch-Tite Platinum)

101012INT - 6 pk



Blazer® Quikfletch®

- Easily install on shaft sizes of .219-.375"
- Submerge into boiling water to activate
- Store in a cool place until use
- 5.25" (133.4mm) in length, average 27 grains in weight


101001 - 6 pk

101003 - 50 pk



SHRINKS TO FIT
Applies easily with
boiling water





NOCKS




Blazer® Double Lock® Nock

- Press-fit nock
- Double-lock throat for added security & a clean release
- Average weight: 10 grains
- Nock OD: .245 ("Standard Carbon" size)

1003 - 12 pk
1004 - 100 pk
1005 - 1000 pk

Solid



Transparent




Signature® Nock


- Press fit nock with smooth throat
- Index & alignment feature
- Average weight: 13 grains
- Nock OD: .245 ("Standard Carbon" size)

1006 - 12 pk
1008 - 100 pk
1009 - 1000 pk

Solid



Transparent



DETERMINE WHICH NOCK SIZE YOU NEED
See pages 53-57



Blazer® A-Nock

- Press fit nock
- Double-lock throat for added security & a clean release
- Average weight: 7 grains
- Nock OD: .205 ("Axis" size)

10151 - 12 pk
10152 - 100 pk
10153 - 1000 pk

Solid



RD Red
NO Neon Orange
NY Neon Yellow
NG Neon Green
SB Satin Blue
WH White
BK Black

Transparent



TL Teal
PU Purple
RU Ruby
TG Tangerine
AP Apricot
LM Lime
KW Kiwi
EB Electric Blue
RS Rose



Blazer® F-Nock

- Press fit nock
- Double-lock throat for added security & a clean release
- Average weight: 6.5 grains
- Nock OD: .168 ("G-nock" / VAP size)

10141 - 12 pk
10142 - 100 pk
10143 - 1000 pk

Solid



RD Red
NO Neon Orange
NY Neon Yellow
NG Neon Green
SB Satin Blue
WH White
BK Black

Transparent



TL Teal
PU Purple
RU Ruby
TG Tangerine
AP Apricot
LM Lime
KW Kiwi
EB Electric Blue
RS Rose



H.E. Nock

- Press-fit nock
- Double-lock throat for added security & a clean release
- Recessed index point
- Average weight: 8 Grains
- Nock OD .231" (H nock size)

401023 - 12 pk
401024 - 100 pk
401025 - 1000 pk

Solid



RD Red
NO Neon Orange
NY Neon Yellow
NG Neon Green
SB Satin Blue
WH White
BK Black

Transparent



TL Teal
PU Purple
RU Ruby
TG Tangerine
AP Apricot
LM Lime
KW Kiwi
EB Electric Blue
RS Rose



Blazer® Pin Nock Original

- Designed for pin nock adaptors
- Smooth throat for a clean release
- Throat Size: Standard - 0.120" and Small - 0.106"
- Average weight: 5 grains
- Standard Throat marked with letter "V" & Small Throat marked with letter "R"

Standard Throat

10071 - 12 pk
10072 - 100 pk
10073 - 1000 pk

Small Throat

10161 - 12 pk
10162 - 100 pk
10163 - 1000 pk

Solid



RD Red
NO Neon Orange
NY Neon Yellow
NG Neon Green
SB Satin Blue
WH White
BK Black

Transparent



TL Teal
PU Purple
RU Ruby
TG Tangerine
AP Apricot
LM Lime
KW Kiwi
EB Electric Blue
RS Rose



Smooth Release Pin Nock


- Designed for pin nock adaptors
- Smooth throat & short ears for a clean release
- Throat Size: Standard - 0.120"
- Average weight: 5 grains
- Smooth Release marked with letter "M"

401030 - 12 pk
401031 - 100 pk
401032 - 1000 pk

Solid



Transparent



Classic Nock


- Traditional nock designed for swaged end shafts (wood & aluminum), long bow & finger shooters
- Index & alignment feature
- Throat Size: 0.118"
- Available in 2 sizes: 11/32" (average 13 grains) & 5/16" (average 10 grains)

10132 - 100 pk
10133 - 1000 pk

Solid



Transparent




T Nock

- Great for NASP, swaged end, & bowfishing shafts
- Recommended for aluminum, wood & fiberglass shafts
- Throat Size: 0.115"
- Available in 5/16" (average 14 grains), 9/32" (average 15 grains), & 11/32" (average 8 grains)
- 1/4" (average 6 Grains) available in white 1000 pk only

1054T - 12 pk
1055T - 100 pk
1056T - 1000 pk

Solid



Transparent



Legend Nock

- Great for NASP, swaged end, & bowfishing shafts
- Recommended for aluminum, wood & fiberglass shafts
- Throat Size: .105"
- Available in 5/16" (average 11 grains) & 9/32" (average 8 grains)

1057 - 12 pk (LM 5/16" only)
1058 - 100 pk
1059 - 1000 pk

Solid



Transparent





Crossbow Nocks

- Durable, precise polycarbonate nocks
- Available in 2 sizes: .2985 diameter & .303 diameter
- Average weight: Flat = 9 grains, Half Moon = 11 grains

Flat Nock - .2985

401001 - 12 pk

401002 - 100 pk

401003 - 1000 pk

Flat Nock - .303

401014 - 12 pk

401015 - 100 pk

401016 - 1000 pk

Half Moon Nock - .2985

401011 - 12 pk

401012 - 100 pk

401013 - 1000 pk

Half Moon Nock - .303

401008 - 12 pk

401009 - 100 pk

401010 - 1000 pk

Solid



NO
Neon Orange

NY
Neon Yellow

NG
Neon Green

WH
White


BK
Black



Nock-Out Tool

- For use with Bohning Signature® nocks
- Easy removal or alignment
- Will not damage nocks

1622 - Nock-Out Tool



Nock Indexing Tool

- Inserts & positions nocks without damage
- 2 channels for multiple nock sizes
- Fits all Blazer® series nocks

1620 - Nock Indexing Tool

WANT TO KNOW MORE ABOUT OUR NOCK TESTING PROCESS?

See page 52





STRING CARE

The Original

Tex-Tite

- Natural-based wax
- Protects string & serving from weather
- Odorless & waterproof
- Tex-Tite® on threads helps keep screw-in points from loosening

1306 - 28 gram tube
1630 - 24 tubes (bulk)
32001 - 250 tubes (bulk)
3200 - 500 tubes (bulk)
301022 - Wax Applicator Box (40 grams)

Universal

Seal-Tite

- Silicon-based wax
- Protects string & serving from the weather
- Odorless & waterproof
- Use on nock shanks for easier indexing & insertion

1360 - 28 gram tube
1631 - 24 tubes (bulk)
35001 - 250 tubes (bulk)
3500 - 500 tubes (bulk)
301024 - Wax Applicator Box (40 grams)

Liquid = Simple Application

String Shield™

- Silicon-based liquid wax
- Sponge top bottle applicator
- Odorless & waterproof
- 1/4 ounce (7.4 ml) tube

301019 - 1 tube

Quick Saturation!

Xccelerator Wax®

- Softens at a low temperature
- Easy & fast saturation
- Penetrates string fibers very well
- 3 gram tube

1365 - 3 gram tube
1634 - 16 tubes



Grit Guard

- Non-tacky wax formula prevents dirt and lint from collecting on strings & keeps tacky residue off fingers
- Premium conditioners revitalize old strings
- For natural & synthetic strings
- Comes in new Wax Applicator Box, allowing efficient & thorough application: ends slide open and closed. Removable lid.
- 40 grams

301026 - Grit Guard Wax / Applicator Box

BOHNING TECH TIP:

To maximize string life, apply string wax frequently (approximately every 200 shots)



String Separator

- Fast & easy installation of serving, peeps, silencers, etc
- Easily inserts into strands without damaging, twist to separate strings
- 2" (50.8mm) x .625" (15.87mm) x 1" (25.4mm)

1601 - Separator



Mini-Server

- Great for travel & quick fixes
- Eliminates the need for a cable spreader
- 2.0625" (52.39mm) x 1.4" (35.56mm) x .875" (22.23mm)
- Contains 27 ft. (8.23m) of #62XS .021 serving in black & white

801017 - Mini Server

801024BW - Mini Server Thread

Licensed under Patent No. D709,157




#62 XS Serving Thread

- 20% stronger than regular serving thread
- .018" contains 100 yards per spool (91.44m)
- .021" contains 75 yards per spool (68.58m)

801001 - #62XS .021"

801010 - #62XS .018"



Poly Grip .020"

- Superior grip
- 100% polyester
- .020" diameter, 75 yards (68.58m)

1624 - Poly Grip



Loop Rope

- 2.0 mm BCY, #24 polyester D-loop rope
- Available in 39" (1 meter) or 100' (30.48m) lengths

801002 - 1 Meter

801003 - 100 Foot



Self-Serve Cable Spreader

- Separates cables in top & bottom slots
- Provides a large work area & keeps cable down & out of the way
- 11" (279.4mm) x 5.5" (139.7mm) x .438" (11.13mm)

1525 - Cable Spreader



Serve-Tite

- Adjustable tension & smooth thread flow
- 2.25" (57.15mm) x 1" (25.4mm) x 2.5" (63.5mm)
- Fits standard spool

16150 - Serve-Tite String Server

16240 - Serve-Tite w/ Polygrip .020" (75 yds)

16260 - Serve-Tite w/ #62 .021" Braided (75 yds)



#62 Braid Serving Thread

Braided #62 (1626 - .021", 1627 - .025")

- Braided for superior grip & durability
- .021" contains 75 yards (68.58m)
- .025" contains 60 yards (54.864m)

1626 - .021" Braided #62

1627 - .025" Braided #62



Nylon Serving Thread

- Traditional nylon serving thread
- Use for end serving, peeps & nocks
- 100 yards (91.44m) per spool


1616 - Black Nylon



Crossbow Serving Thread

- Designed for high performance crossbow strings
- Available in black only
- .030" with 45 yards per spool

801011BK - Crossbow



Serving Kit

- Everything needed to center serve bowstrings
- Includes cable spreader, string separator, serving tool with .020" Polygrip thread, & wax
- Includes step-by-step instructional DVD

1295 - Kit

1294 - DVD Only



CROSSBOW



Bolt Vane

- Designed specifically for Crossbows to withstand higher velocity and stabilize bolts for up to 100 yards
- Made of stiffer vane material
- Prevents vane flap for a smooth bolt rotation
- Primed base for optimum adhesion
- Extremely quiet & durable
- 3.5" in (88.9mm) length, 0.5" (12.7mm) in height, average 11.5 grains in weight

101033 - 36 pk
101034 - 100 pk
101035 - 1000 pk



Crossbow Nocks

- Durable, precise polycarbonate nocks
- Available in 2 sizes: .2985 diameter & .303 diameter
- Average weight: Flat = 9 grains, Half Moon = 11 grains

Flat Nock - .2985

401001 - 12 pk
401002 - 100 pk
401003 - 1000 pk

Half Moon Nock - .2985


401011 - 12 pk
401012 - 100 pk
401013 - 1000 pk

Flat Nock - .303

401014 - 12 pk
401015 - 100 pk
401016 - 1000 pk

Half Moon Nock - .303

401008 - 12 pk
401009 - 100 pk
401010 - 1000 pk



Lightning Lube

- "No Mess" foam applicator
- Silicone-based, odorless rail lube
- Also works great as arrow lube
- Provides a protective film for reduced friction & increased velocity

1363 - Lightning Lube
941019 - Lightning Lube (16 pk bulk)



Top Mount

- Parallel quiver mounting system
- Easy installation without scope removal
- Provides easy access for loading
- Includes both allen head & thumb screw

801012 - Kit



Crossbow Lube Kit

- Includes 1 tube of Lightning Lube & 1 tube of Xccelerator Wax
- Protects string & rail for longevity & optimum performance

801005 - Crossbow Lube Kit



BOWFISHING



🔥 Stronghold

- 3 stainless steel barbs for a superior hold
- Reversible inside the fish for easy removal
- Replaceable hardened-steel tip
- 2-1/2" holding diameter
- For 5/16" fishing shafts
- Glue & pin to arrow shaft
- Weight: 330 grains

- 901021 - 1 pk Stronghold Point
- 901009 - 3 pk Stronghold Points
- 901020 - 3 pk of Stronghold Tips
- 901022 - 3 pk Stronghold Replacement Barb Set



Aqua Assault™ Premium Fish Point

- Replaceable five-sided chisel tip made of hardened steel
- High-performance rotating barb
- Easy fish removal
- While supplies last

- 901002 - Aqua Assault™ Premium Fish Point
- 901003 - Chisel Tip



Hard Head River Fish Point

- Great for rocky bottoms & shallows
- Now nickel-plated
- Sturdy, do-it-all fish point

- 901025 - Hard Head River Fish Point
- 901001 - Two Barbs

CHECK US OUT ON YOUTUBE

See Bohning Bowfishing products in action!




Bohning Archery

🔥 Blazin' Hot Sellers

BOWFISHING 34

231.229.4247 / WWW.BOHNING.COM





Carp-I-Vore™

- The only fully-adjustable containment roller rest
- Easy top load design
- Interchangeable roller & bristle
- Reversible LH or RH mounting
- Horizontal & vertical adjustments
- Mounting hardware included

901006 - Carp-I-Vore™ Bowfishing Rest

Licensed under Patent No. 6,994,080

CARP-I-VORE™ SUPPLEMENTAL PARTS



Roller Assembly



Bristle Assembly



Bristle with Mount

Carp-I-Vore™ Assembly

901014 - Roller Assembly

901015 - Bristle with Mount

901016 - Bristle Assembly (2pk)



Carp-I-Vore™ Spacers

911022 - Spacers



THE B.A.R.

Bohning Aqua Reel

- First-of-its-kind bowfishing spinning reel
- Cable-activated bail opens automatically on draw
- Adjustable drag
- Reversible LH or RH mounting
- Anodized aluminum spool
- Gear Ratio of 5.1 : 1
- Spooled with 50 yds of 80# test line

901010 - The B.A.R. Reel



MudCat™ Reel

- Includes 50' (24.4m) of 80# nylon line
- Line Drag Reduction System
- Rubber retainers for safe arrow storage
- All mounting hardware included

901007 - MudCat™ Reel

1024 - 50 ft #80 Mudcat™ Nylon Line



Hornet™ Fishing Shaft

- Fiberglass/carbon hybrid
- 34.75" in length, 1190 grains
- 65% greater spine strength for faster shot recovery
- For use with all draw weights
- Available as shaft only or with Aqua Assault™ Premium Fish Point, AMS Safety Slide™, & white 5/16" Legend Nock

901004 - Hornet™ Fishing Shaft (bare)

901005 - Hornet™ Fishing Shaft w/Point, Slide, & Nock



Glass Fish Arrow

- Universal fishing arrow
- 32.5" in length
- Available with optional River Fish point
- Available with optional AMS Safety Slide™
- All glass shafts come with lime 5/16" Legend Nock

10020 - Hi-Vis Yellow Glass Fish Arrow w/Point & Slide

1002 - White Glass Fish Arrow w/Point & Slide

1000 - White Glass Fish Arrow w/Point

1001 - White Glass Bare Shaft



Legend Nock

- Great for NASP, swedged end, & bowfishing shafts
- Recommended for aluminum, wood & fiberglass shafts
- Available in 5/16" (average 11 grains) & 9/32" (average 8 grains)

1057 - 12 pk (LM 5/16" only)

1058 - 100 pk

1059 - 1000 pk

Solid

Transparent



White
WM



Lime
LM



Bowfishing Kit

- Includes: 1- Mudcat™ reel, 1- 32.35" (.82m) glass fish arrow with River Fish Point, AMS Safety Slide™ & 50' (24.4m) of 80# nylon line
- All mounting hardware included

1023 - Bowfishing Kit





HUNTING QUIVERS



Lynx® 4

- Choose your own combination of hood pattern & retainer color
- Dual retainer quiver
- Molded hood & liner for quiet storage of any broadhead style
- Lightweight, durable molded stem
- Equipped with the Lever-Lock Mounting System
- Comes with retainer for standard carbon arrows

Lynx 4 with Black Retainers

- 1038 - Black
- 10380 - Carbon Fiber
- 10817 - Lost Camo®
- 201013LXD - Lost Camo XD
- 201013MOC - Mossy Oak® Break-Up Country
- 201013RX - Realtree® Xtra

Lynx 4 with Colored Retainers

- 201013 - Lynx® with Colored Retainers

(Indicate hood pattern & retainer color)



LC
Lost Camo®

LXD
Lost Camo® XD

MOC
Mossy Oak®
Break-Up Country

RX
Realtree®
Xtra

CF
Carbon Fiber

BK
Black

LYNX® 4 SUPPLEMENTAL PARTS



Lynx® Hood Liner

- 10383 - 4 Liner



Lynx® Retainers

Black Retainers

- 10382 - Standard
- 1045 - Small

Lynx 4 with Colored Retainers

- 201026 - Standard
- 201027 - Small



Chameleon 5

- Includes 2 plates: Carbon Fiber & your choice of camo
- Rubber hood will not dull broadheads (fits fixed-blade & mechanical broadheads)
- High-impact polycarbonate stem provides the strength of metal without the weight
- Built-in hook for quick hanging & easy storage
- Equipped with the Lever-Lock Mounting System
- Interchangeable camouflage plates
- 4" of vertical adjustment

201003 - Chameleon 5



LC
Lost Camo®



APG
RealTree® APG



INF
Mossy Oak® Break-Up Infinity



Jack-Pine 5

- Economical, strong & lightweight
- Single-retainer 5 arrow quiver
- Designed for carbon & aluminum shafts
- Equipped with the Lever-Lock Mounting System

1099 - Black



BK
Black

CHAMELEON 5 SUPPLEMENTAL PARTS

Chameleon 5 Plates

201004 - Plate



CF



LC



APG



INF

Chameleon Retainers

201007 - Arrow Retainer



Chameleon Stem Attachment

201018 - Set



JACK-PINE 5 SUPPLEMENTAL PARTS

Jack-Pine 5 Quiver

10354 - Foam

10993 - Retainer



SUPPLEMENTAL PARTS FOR ALL QUIVERS



Lever-Lock Mounting System

1073 - Green Lever

LOOKING FOR SPECIAL DEALS?

Visit the Bohning Outlet section on our website!




TARGET QUIVERS

Adult Target Quiver

- 5 tube cordura quiver
- 19" in length
- Accessory clip, 2 exterior zippered pockets, & 1 sleeve pocket
- Right or left handed


- 🔥 1693 - RH Black
 1688 - RH Red
 1691 - RH Blue (while supplies last)
 1692 - RH Neon Green
 16930 - LH Black
 16880 - LH Red
 16910 - LH Blue (while supplies last)
 16920 - LH Neon Green



Mini Target Quiver

- 3 tube cordura quiver
- 14" in length
- Accessory clip, 2 exterior zippered pockets & 1 sleeve pocket
- Right or left handed

- 1655 - RH Black
 1656 - RH Blue
 1654 - RH Hot Pink
 1660 - RH Neon Green
 1669 - RH Neon Orange
 16550 - LH Black
 16560 - LH Blue
 16540 - LH Hot Pink
 16600 - LH Neon Green
 16690 - LH Neon Orange





PreciZion Field Quiver

- Tubeless, lightweight, rear-facing field quiver constructed of 600 Denier nylon
- 2 large interior & one large exterior storage pockets
- Pen/pencil holders, iPod/headphone port, & metal D-loops for accessories

701026BK - PreciZion Field



Tube Quiver

- Ambidextrous design
- Soft-shell tube with reinforced bottom
- Carabiner attachment

701006 - Tube Quiver



Q23° Adjustable Quiver

- Sturdy yet lightweight
- Constructed of anodized aluminum
- 23 degrees of full adjustability prevents quiver from angling straight up
- 360 degree swivel clip
- Ambidextrous
- Tube available in blue with black accessories or silver with black, neon orange, purple, or red accessories

701050 - Q23



Accessory Bag

- Collapsible draw-string throat
- Reinforced top that stays open for quick access
- Made of heavy duty cordura to match our adult & mini target quivers

1659 - Black


16591 - Red

16590 - Blue

16593 - Neon Green

16595 - Neon Orange

16594 - Purple



LOOKING FOR SPECIAL DEALS?

Visit the Bohning Outlet section on our website!



Black Rigid Shooters Belt

- Tactical belt maintains shape with little sagging
- Heavy-duty snap buckle with 2 large loops in the back for convenience
- Available in 2 sizes SM/MD & LG/XL with simple adjustment to fit almost everyone

16801 - Sm/Med (28"-38")

16803 - Lg/XL (40"-50")



ACCESSORIES



NEW The Shelter

- First-of-its-kind bow case that incorporates its own bow sling.
- Built to go from your truck to your stand.

BOW CASE

- Designed for bows up to 42" axle to axle
- Dimensions 45" (1.14m) x 18" (0.46m)
- 4 outer pockets

SLING

- Designed for bows 28" to 40" axle to axle
- 2 outer accessory pockets
- 2 end clips for added security

701045CAMO - The Shelter, Sling/Case Combo

701043CAMO - Camo Adult Bow Case


701044BK - Bow Sling

NEW

Standing Soft Case

- Designed for bows up to 36" axle to axle & 8" brace height bow
- Dimensions: Approximately 42" (1.07m) x 14" (0.36m)
- 5 pockets: 2 outer, 3 inner
- Fold-out pockets to keep case upright with interior zippers to keep personal items safe
- Drink Holder
- Latest trending colors

701028 - Standing Soft Case



CO
Camo/Neon Orange



SG
Striped/Green



PZ
Purple/Zig-Zag

Youth Bow Case

- Designed for bows up to 36" axle to axle & 8" brace height bow
- Dimensions 41" (1.04m) x 14" (0.36m)
- Accessory pocket 9" (228.6mm) x 5" (127mm) x 2" (50.8mm) designed for tabs, gloves, arm guards, etc.

701014 - Bow Case



BK
Black


RD
Red

BL
Blue

HP
Hot Pink

NG
Neon Green






NEW D-Flector Armguard


- Durable polycarbonate armguard
- Easy-to-adjust, soft elastic straps
- Contoured design with a raised center

801092 - D-Flector Armguard (€€)

Solid



Transparent



Web Armguard

- Open design for maximum ventilation
- Durable & flexible, with adjustable elastic bands for easy on & off
- Excellent for holding clothes away from bow strings


801040 - Web Armguard (€€)



3-Strap Armguard

- Heavy-duty anti-fray construction
- Excellent for holding clothes away from bow strings
- Easy to adjust, quick disconnect buckle straps

1689 - Cordura Armguard



Slip-On Armguard

- Durable, yet soft & flexible
- Easy on & off; protects the entire forearm
- Compression-fit material in: S, M, L, XL
- Size XL in black only

801009 - Slip-On Armguard (€€)



Slip-On Armguard Sizing*

Size	Length (inches)	Circumference (inches)			
		Small End Relaxed	Large End Relaxed	Small End Stretched	Large End Stretched
S	8	5.5	8	9	12
M	9	7	9	12	14
L	9	9	11	14	17
XL	9	11	12.5	15	18

*Sizes are approximate




Cinch Sling

- Easily adjustable to fit over bare hand or gloves
- Base plate allows for the stabilizer to be torqued without rotating out of place
- Stays open for ease of use

801049 - Cinch Sling

15211 - Black 12 pk (bulk)



Shown:
Cam



Shown:
Hunter

String Nocks

- Creates a positive nocking point for consistent shots
- Quick & easy to install
- Available in two sizes: cam (red) & the slightly smaller hunter (black)

Cam String Nocks

1065 - Cam 6 pk

1068 - Cam 100 pk

1071 - Cam 1000 pk

Hunter String Nocks

1064 - Hunter 6 pk

1067 - Hunter 100 pk

1070 - Hunter 1000 pk

String Whiskers



- Easy to use, ties to the bowstring
- Two pieces per package, 4.5" (114.3mm) long each
- Dampens string noise & oscillations with round whiskers

1051 - 1Pair

1635 - 50 Pair

Kisser Button



- Lightweight & durable, .5" (12.7mm) diameter
- Easy installation with 2 enclosed clips
- Helps maintain a consistent anchor point every shot

1664 - Kisser w/ clips

801081 - 100 pk

"Slim" Peep



- Durable, high-impact & lightweight
- 3/16" sight orifice, small profile for easy installation
- Individual peeps include 12" (304.8mm) tubing, bulk peeps do not

1668 - Peep with tube

1640 - 50 pk Bulk (peep only)

Bow Grip/Sight Window Pad



- Cut-to-fit soft mole-skin pads prevent noise & add warmth
- Self-adhesive backing provides silent & comfortable grip
- Package contains two 4" (101.6mm) x 6" (152.4mm) pads
- Mossy Oak® Break-Up Infinity

1602 - 2 Pads

Aim-It™ Camera Mount



- Keep your trail cam where deer & other hunters can't see it
- Two 360° pivot points ensure bracket adjustable to nearly any angle
- Fits all cameras with a 1/4"-20 standard threaded port
- For installation use either 60" strap or 4 wood screws (both included)

801018 - Mount

Wind Check



- Detects the slightest air thermals
- Extremely fine, odorless & environmentally safe
- Flip-top bottle for easy one-hand use

1612 - Bottle

Broadhead Wrench



- Excellent price point
- Easy grip construction protects fingers while installing broadheads
- Fits both 3 & 4 blade broadhead configurations

1619 - Broadhead Wrench

Deluxe Broadhead Wrench



- Fits 2, 3 & 4 fixed blade broadheads
- Features nock indexing tools for Bohning Signature, Blazer® Double Lock, A, F & Pin nocks for easy tuning of broadheads
- Pushes on sides of the blades, preventing the edge from dulling

801046 - Deluxe Broadhead Wrench



NEW Arrow Pen Ferrules



- Get cash from your broken arrow shafts by selling arrow pens, and make it easy on yourself with Bohning's pen ferrules
- No tape or glue necessary
- Fit standard carbon-sized shafts
- Work with stick pens similar to PaperMate® 1.0mm
- 100 pack black ferrules

990004BK - 100pk Arrow Pen Ferrules



KITS



Complete Tower® Jig Kit

- Great for clubs and families
- All the Tower Jig options in one purchase:
 - One set of each arm: 3° Right Helical Arms (Black), Straight Arms (Gray), 1° Right Offset Arms (Red), 1° Right Offset Impulse™ Arms (Yellow), 2° Right Wing Feather Arms (Blue), 2° Left Wing Feather Arms (Green), & Mylar Arms (Gray w/ red clip)
 - Seven center posts: Standard, Pin nock, F nock, A nock, Crossbow, Swedged, & H.E. nock
 - Three rings: Small, Large, & Extra-Large
 - Spacer plates
 - Clamp release tape

601027 - Complete Tower® Jig Kit



Complete Arrow Repair Kit

- Get started repairing arrows with one handy kit
- Help your customers customize and personalize their arrows
- Includes:
 - Blazer Helix Fletching Jig
 - New Strip-Pro for removing vanes, glue & wraps
 - Packet of SSR shaft cleaner
 - Deluxe Broadhead Wrench with nock indexing tool. Fits 2, 3, & 4 fixed blade broadheads
 - Three 3-gram tubes of Instant Gel for vanes, feathers, points, inserts & nocks
 - DVD with step-by-step instructions on arrow repair
 - Clamp release tape

601040 - Arrow Repair Kit



DEALER KITS



New Dealer Kit

Nocks Included (12 each):

- H.E. Nock
- Blazer Double Lock Nock
- Signature Nock
- A Nock
- F Nock
- Blazer Pin Nock (standard)

Vanes Included (30 each):

- Blazer Vane
- Blazer X2 Vane
- Mini Blazer Vane
- Micro Blazer Vane
- Impulse Deux Vane
- Shield Cut Vane (1.5" - 2.25")
- Killer Vane
- Impulse Vane (3" & 4")
- Parabolic X Vane
- Ice Vane
- First Flight Impulse Vane
- Air Vane

101031 - New Dealer Kit



Mixed Bag of Nocks

- ALL color options in one purchase
- Resealable bag
- Blazer Double Lock Nocks- 14 colors, 5 each = 70 nocks
- Signature Nocks- 10 colors, 5 each = 50 nocks
- F Nocks- 14 colors, 5 each = 70 nocks
- A Nocks- 14 colors, 5 each = 70 nocks
- H.E. Nocks- 14 colors, 5 each = 70 nocks
- Pin Nocks- 14 Colors, 5 each = 70 nocks

10081MB - Mixed Bag Signature Nock

10041MB - Mixed Bag Blazer Nock

10144MB - Mixed Bag F Nock

10154MB - Mixed Bag A Nock

401026MB - Mixed Bag H.E. Nock

401033MB - Mixed Bag Smooth Release Pin Nock

10074MB - Original Standard Throat Pin Nock

10164MB - Small Throat Pin Nock



Vane Kit

Vanes Included (30 each):

- Blazer Vane
- Blazer X2 Vane
- Parabolic X Vanes
- Killer Vane
- Ice Vane
- Air Vane

101030 - Vane Kit



Nock Kit

Nocks Included:

- Legend Nock (8qty)
- Classic Nock (12qty)
- Signature Nock (18qty)
- H.E. Nock (20qty)
- Blazer Double Lock Nock (20qty)
- Blazer Pin Nock (small throat) (20qty)
- Blazer Pin Nock (standard) (20qty)
- Smooth Release Pin Nock (20qty)
- A Nock (25qty)
- F Nock (25qty)

401040 - Nock Kit



Target Shooting Kit

Vanes Included (30 each):

- Blazer Vane
- Shield Cut Vane (1.5" - 3.5")
- Impulse Vane (3" & 4")
- Ice Vane
- Air Vane

101032 - Target Shooting Kit



RECREATIONAL ARCHERY

Evervale Archery Set

- Perfect for the growing recreational archery market
- Attractively packaged, grab-n'-go set
- Set includes:
 - 1 Tube Quiver
 - 1 Web Armguard
 - 1 Target Face
 - 3 BullsEye300 carbon arrows*, each with:
 - Unique arrow wrap
 - 3" Parabolic X-Vanes
 - Signature Nock
 - Aluminum insert & 100 grain field point

*Shaft: 32" length, 0.400" spine

NOT recommended for use with bows over 50 pounds

701027HP - Evervale Archery Set, Hot Pink / Animal Print

701027RD - Evervale Archery Set, Red

701027NG - Evervale Archery Set, Neon Green

701027OB - Evervale Archery Set, Orange & Blue



Neon Green



Hot Pink / Animal Print



Orange & Blue



Red



APPAREL



Bohning Realtree® Camo Hat

- Realtree® Camo
- 7-hole adjustable snap closure

701004RT - Realtree® Camo Hat



Mossy Oak® Camo Hat

- Mossy Oak® Camo
- 7-hole adjustable snap closure

701043AT - Mossy Oak® Camo Hat



Bohning Pro Visor

- Black mesh front
- Velcro adjustable closure

701005BK - B&W Visor



Bohning Distressed Hat

- Distressed front
- Mesh back with 7-hole adjustable snap closure

701043TR - Legacy Hat



Bohning Men's Performance Long Sleeve Shirt

- Bohning Icon
- 100% moisture wicking
- Features the Bohning Logo on the right arm sleeve

701041 - Men's Performance Long Sleeve



Bohning Women's Long Sleeve V Neck

- Traditional Fit
- Longer Length
- 60% cotton / 40% polyester jersey knit
- Features the Bohning Logo on the right arm sleeve

701042BK - Women's Long Sleeve V Neck



Bohning Icon Hoodie - Men

- Gray with red accents
- 100% polyester
- 1/4 Zip
- Sm-3XL

701030 - Men's Hoodie



Bohning Icon Hoodie - Women

- Black with red accents
- 100% polyester
- Sm-3XL

701031 - Women's Hoodie



Bohning Shooter Jersey


- ASA Collar Approved
- 100% moisture wicking
- Relaxed fit
- Sm-3XL

701035 - Shooter's Jersey

MORE BOHNING APPAREL OPTIONS AVAILABLE AT:
www.bohning.com/products/bohning-wear



SNAPFIT™ DISPLAY



SnapFit™ Display


- Shelf capacity: 5 lbs (2.3kg) per 4" panel
- Hook capacity: 1 lb (.45 kg) per hook
- Made from engineering-grade, recycled plastic
- Hooks attach to panels and columns
- Panels are reversible to hide or show Bohning logo
- Soft urethane feet for non-marring stability
- Slots in column caps accommodate standard foam board signage
- Compact and lightweight to ship
- Additional/ replacement parts available
- Easily combine multiple SnapFit products to create larger displays

901050 - SnapFit Display - Table Top

901051 - SnapFit Display - 8 x 8

901052 - SnapFit Display - 8 x 16

901053 - SnapFit Display - 16 x 16



SnapFit™ Display - Table Top

Includes:

- 1 - 16" Column
- 1 - Foot
- 10 - 3" Hooks

901050 - Snap-Fit Display - Table Top



SnapFit™ Display - 8 x 8

Includes:

- 16 - 16" Columns
- 24 - 8" Plates
- 4 - Feet
- 48 - 3" Hooks
- 4 - 8" Shelves

901051 - Snap-Fit Display - 8 x 8



SnapFit™ Display - 8 x 16

Includes:

- 16 - 16" Columns
- 12 - 16" Plates
- 12 - 8" Plates
- 4 - Feet
- 64 - 3" Hooks
- 8 - 8" Shelves

901052 - Snap-Fit Display - 8 x 16



SnapFit™ Display - 16 x 16

Includes:

- 16 - 16" Columns
- 24 - 16" Plates
- 4 - Feet
- 100 - 3" Hooks
- 8 - 16" Shelves

901053 - Snap-Fit Display - 16 x 16



New Dealer Stocked SnapFit™ Display

- Snap-Fit Display fully stocked with Bohning's most popular products.
- Perfect for new dealers!
- Free display plus product discounts
- Call or email for more details!
- 231-229-4247
- info@bohning.com



**SnapFit™ pieces can be combined to
create displays of any shape or size!**

VANE USAGE

Choose the correct vane for your application.


	Indoor Spots	Outdoor Field	Outdoor FITA	Outdoor 3-D	Fixed Blade	Mechanical	Crossbow
	Indoor	Outdoor			Hunting		
Blazer®	✓	✓	✓	✓	✓	✓	✓
Blazer® X2	✓	✓	✓	✓		✓	
Mini Blazer®		✓	✓	✓		✓	
Micro Blazer®		✓	✓	✓			
Killer	✓				✓	✓	
Ice		✓	✓	✓			
Impulse™ 3" & 4"		✓	✓	✓			
Impulse™ Deux		✓	✓	✓			
Impulse™ First Flight	✓			✓			
X Vane® - Parabolic	✓			✓	✓	✓	✓
X Vane® - Shield Cut: 1.5", 1.75", 2.25"	✓	✓	✓	✓			
X Vane® - Shield Cut: 3" & 3.5"	✓					✓	✓
Air Vane		✓	✓	✓			
Blazer® Stretch Fletch™					✓	✓	
Blazer® QuikFletch®					✓	✓	
Bolt Vane							✓
Heat Vane				✓	✓	✓	

The Bohning Nock Development Process

NOT ALL NOCKS ARE CREATED EQUAL

Today's bows are becoming increasingly efficient. A higher percentage of the energy stored in a bow's limbs is transferred to the arrow than ever before. The potential energy stored in your bow is transferred to the arrow via a single component: your nock. The question is, has your nock kept up with bow technology? At Bohning, we have dedicated significant time in testing and research into developing nocks that will withstand the rigors of shooting both today's and tomorrow's high-energy bows.

Every nock we design has to go through an extensive series of tests and refinements before it ever hits the store shelves. Special care is taken early in the design phase to ensure each nock is as strong and resilient as possible. Before a design is cut into steel, computer simulations are run to find any potential weak points in the nock's geometry. Only after multiple tests and refinements is an injection molding tool built. This is done in-house. Our expert team of engineers and machinists have more than 112 years of combined experience! This vast body of knowledge, skill, and experience is how Bohning nocks are set apart from the competition. Producing multiple identical nocks per machine cycle; each having the same exact dimensional, material, and strength properties as the next is proof of highly skilled craftsmen.



But what does this mean for our customers? Every Bohning nock is molded to incredibly tight tolerances and subjected to meticulous standards of workmanship and quality. This translates to superior consistency at a fraction of the cost. And that is just the beginning.

Once production-ready nocks have been run, they are not ready for the shelves until they have passed an exhaustive battery of testing, both in the lab and on the range. Using state-of-the-art destructive testing methods, our nocks are bent, crushed, and abused to expose possible design flaws or material defects.

On the range, our final and most rigorous test is performed: Accelerated life-cycle testing. Using a custom-built bow capable of shooting arrows at kinetic energy levels exceeding 110 ft-lbs (nearly twice that of most hunting bows), we put our nock designs through the gauntlet. No design is approved until a single nock can reliably withstand over 1000 shots* under these conditions without any sign of wear.



KINETIC ENERGY

So, why focus on kinetic energy (KE)? The answer is simple: KE is the best factor we have for quantifying an arrow's stopping power down range. It is also an excellent way of measuring a bowstring's effect on a nock during the shot. A nock's ability to withstand repeated use under demanding conditions is a testament to its resilience. In engineering terms, "resilience" is the capacity of a material to transmit kinetic energy without permanent deformation. By testing our nocks at extreme levels of kinetic energy rather than just extreme speeds alone, we ensure our nocks are the most resilient on the market.

In archery, mental focus is just as important as all of the practice and careful preparation of your equipment-- you shouldn't have to question the reliability of your nock. Only Bohning nocks take the guesswork out of the equation for you.



* Glue-on nocks (Classic, Legend, and T-Nocks) have not been tested according to the 1,000 shots scenario

NOCK & WRAP SELECTION



Beman

Wrap

Nock

Tower Jig Post

Tower Jig Ring

Bone Collector	Small	A Nock	A Nock	Small
Bone Collector Jr	Small	HE Nock	HE Nock	Small
Carbon Diva	Large	Blazer / Signature	Standard	Large
Carbon Flash	Small	N/A	N/A	N/A
Centershot	Small	HE Nock	HE Nock	Small
Dead Ringer	Large	Blazer / Signature / F	Standard	Large
ICS Bowhunter	Standard	Blazer / Signature / F	Standard	Small
ICS Bowhunter Jr	Standard	Blazer / Signature	Standard	Small
ICS Crossbow Hunter	Large	Half Moon or Flat	Crossbow	Large
ICS Hunter	Standard	Blazer / Signature / F	Standard	Small
ICS Hunter Patriot	Standard	Blazer / Signature / F	Standard	Small
ICS Hunter Pro	Standard	Blazer / Signature	Standard	Small
ICS Hunter Lost Camo	Standard	Blazer / Signature	Standard	Small
MXF	Small	A Nock	A Nock	Small
Nightfall	Small	A Nock	A Nock	Small
Pork Chop	Large	HE Nock	HE Nock	Large
Pork Chop Crossbow	Large	Half Moon or Flat	Crossbow	Large
Spe3d	Standard	Blazer / Signature / F	Standard	Small

Black Eagle**Wrap****Nock****Tower Jig Post****Tower Jig Ring**

Carnivore	Standard	Blazer / Signature	Standard	Small
Challenger	Large	Blazer / Signature / F / Pin (bushing)	Standard / F	Large
Deep Impact	Small	F Nock	F Nock	Small
Executioner	Large	.303 Half Moon or Flat	Crossbow	Large
Magnum	XL	Blazer / Signature / F (bushing)	Standard / F	XL
Outlaw	Standard	Blazer / Signature	Standard	Small
Outlaw Pink Crested Edition	Standard	Blazer / Signature	Standard	Small
Rampage	Small	A Nock	A Nock	Small
Renegade	Small	A Nock	A Nock	Small
Spartan	Standard	A Nock	Standard	Small
X-Bow	Large	.303 Half Moon or Flat	Crossbow	Large
X-Impact	XS	F Nock	F Nock	Small
Zombie Slayer	Standard	Blazer / Signature	Standard	Small
Zombie X-Bow	Large	.303 Half Moon or Flat	Crossbow	Large
PS23	Large	Blazer / Signature / F / Pin	Standard	Large

Bloodsport**Wrap****Nock****Tower Jig Post****Tower Jig Ring**

Apocalypse	Standard	Blazer / Signature	Standard	Small
Athena	Standard	Blazer / Signature	Standard	Small
Bloodsport 1	Small	F / Pin	F Nock	Small
Blood Sport 2	Standard	Blazer / Signature	Standard	Small
BS Three	XL	Pin or N/A	Pin Nock	XL
BS Four	XL	Pin or N/A	Pin Nock	XL
FPS Hunter	Standard	Blazer / Signature	Standard	Small
Impact Hunter	Small	F / Pin	F Nock	Small

Gold Tip**Wrap****Nock****Tower Jig Post****Tower Jig Ring**

Falcon Youth	Standard	Blazer / Signature	Standard	Small
Fiberglass Youth	Standard	Classic	N/A	Small
Hunter	Standard	Blazer / Signature / F (Bushing)	Standard	Small
Kinetic	Small	A Nock	A Nock	Small
Laser II	Large	.303 Half Moon	Crossbow	Large
Laser III	Large	.303 Half Moon	Crossbow	Large
Laser IV	Large	N/A	Crossbow	Large
Lightning Youth	Standard	Blazer / Signature	Standard	Small
Name The Game	Standard	Blazer / Signature / F (Bushing)	Standard	Small
Nine .3 Max	Large	Standard / Blazer / Pin (Bushing)	Standard / Pin	Large
Pierce	XS	Pin (Bushing)	Pin	Small
Team Primos	Standard	Blazer / Signature / F (Bushing)	Standard	Small
Ted Nugent	Standard	Blazer / Signature / F (Bushing)	Standard	Small
Traditional	Standard	Blazer / Signature / F (Bushing)	Standard	Small
Twister	Standard	A Nock	A Nock	Small
Ultralight	Standard	Blazer / Signature / F (Bushing)	Standard / F	Small
Velocity	Standard	Blazer / Signature / F (Bushing)	Standard	Small

Carbon Express

Wrap

Nock

Tower Jig Post

Tower Jig Ring

Carbon Rebel	Large	Blazer / Signature	Standard	Large
Carbon Rebel Hunter	Large	Blazer / Signature	Standard	Large
CXL Pro	Large	Pin Nock	Pin Nock	Large
Flu Flu	Large	Blazer / Signature	Standard	Large
Game Slayer	Large	Blazer / Signature	Standard	Small
Heritage	Standard	Blazer / Signature	Standard	Small
Hot Pursuit	Standard	HE Nock	HE Nock	Small
Line Jammer Pro	XL	Pin Nock	Pin Nock	XL
Maxima Blu RZ	Standard	Blazer / Signature	Standard	Small
Maxima Blu RZ Select	Standard	Blazer / Signature	Standard	Small
Maxima Blue Streak	Standard	Blazer / Signature	Standard	Small
Maxima Blue Streak (Crossbolt)	Large	.2985 Half Moon or Flat	Crossbow	XL
Maxima Blue Streak Select	Standard	Blazer / Signature	Standard	Small
Maxima Hunter	Standard	Blazer / Signature	Standard	Small
Maxima Hunter (Crossbolt)	Large	.2985 Half Moon or Flat	Crossbow	Large
Maxima Mathews	Standard	Blazer / Signature	Standard	Small
Maxima Red	Standard	Blazer / Signature	Standard	Small
Mayhem	Standard	Blazer / Signature	Standard	Small
Mayhem (Crossbolt)	Large	.2985 Half Moon or Flat	Crossbow	Large
Mayhem Hot Pursuit	Standard	Blazer / Signature	Standard	Small
Mayhem Hunter	Standard	Blazer / Signature	Standard	Small
Medallion-Pro	XS	Pin Nock	Pin Nock	Small
Medallion XR	XS	Pin Nock	Pin Nock	Small
Mutiny	Standard	Blazer / Signature	Standard	Small
Mutiny Slasher	Standard	Blazer / Signature	Standard	Small
Nano Pro	XS	Pin Nock	Pin Nock	Small
Nano Pro Extreme	XS	Pin Nock	Pin Nock	Small
Nano SST	XS	Pin Nock	Pin Nock	Small
Nano XR	XS	Pin Nock	Pin Nock	Small
Piledriver (Crossbolt)	Large	.2985 Half Moon or Flat	Crossbow	Small
Pile Driver Extreme	Small	A Nock	A Nock	Small
Pile Driver Hunter	Standard	Blazer / Signature	Standard	Small
Predator	N/A	N/A	F Nock	Small
Predator II	N/A	N/A	F Nock	Small
Terminator XP	Large	Blazer / Signature	Standard	Large
Thunder Express Youth	Small	Blazer / Signature	Standard	Small
ThunderStorm	Standard	N/A	F Nock	Small
X-Buster	Large	Pin Nock	Pin Nock	Large
X-Jammer 27 Pro	XL	Pin Nock	Pin Nock	Small
Whitetail	Standard	Blazer / Signature	Standard	Small
Whitetail (Crossbolt)	Large	.2985 Half Moon or Flat	Crossbow	Large

Easton	Wrap	Nock	Tower Jig Post	Tower Jig Ring
AC Pro Field	Standard	F / Pin	F / Pin	Small
ACC	XS	F Nock	Standard	Small
ACC Pro Hunting	Small	HE Nock	HE Nock	Small
ACE	Small	F / Pin	F / Pin	Small
ACG	XS	F / Pin	F / Pin	Small
Aftermath	Small	HE Nock	HE Nock	Small
Apollo	Small	F / Pin	F / Pin	Small
Axis	Small	A Nock	A Nock	Small
BloodLine	Small	HE Nock	HE Nock	Small
Bloodline Camo	Small	HE Nock	HE Nock	Small
Bloodline Crossbow	Large	Half moon or Flat	Crossbow	Large
Bowfire	Standard	Blazer / Signature	Standard	Small
Camo Hunter XX75	Standard	Blazer / Signature	Standard	Small
Carbon One	Small	F / Pin	F / Pin	Small
da'Torch	Standard	Blazer/Signature/A	Standard	Small
Deep Six FMJ	Small	N/A	N/A	Small
Deep Six Injexion	Small	N/A	N/A	Small
Epic	Standard	HE Nock	HE Nock	Small
Fat Boy	Large	Blazer / Signature / F (bushing)	Standard / F	Large
F Nock	Standard	F Nock	Standard	Small
Flatline	Standard	Blazer / Signature	Standard	Small
Flatline Crossbow	Large	Half Moon or Flat	Crossbow	Large
FMJ	Small	A Nock	A Nock	Small
FMJ Crossbow	Large	Half Moon or Flat	Crossbow	Large
FMJ Dangerous Game	Small	A Nock	A Nock	Small
Full Bore	XL	Blazer / Signature / F (bushing)	Standard / F	Small
Gamegetter	Standard	Blazer / Signature (bushing)	Standard	Small
H Nock	Standard	HE Nock	HE Nock	Small
Hexx	Small	HE Nock	HE Nock	Small
ION	Small	HE Nock	HE Nock	Small
Legacy	Standard	Legend	Swedge	Small
Light Speed 3D	Standard	F Nock	Standard	Small
Neos	Small	Legend	Swedge	Small
Nemesis	Small	HE Nock	HE Nock	Small
Realtree	Small	A Nock	A Nock	Small
Traditional	Small	A Nock	A Nock	Small
X7 Eclipse	Large / XL	Blazer / Signature / F (bushing)	Standard / F	Large / XL
X10	XS	Pin Nock	Pin Nock	Small
X10 Protour	XS	Pin Nock	Pin Nock	Small
X23 Shafts	Large	Blazer / Signature / F (bushing)	Standard / F	Large
X27 Shafts	XL	Blazer / Signature / F (bushing)	Standard / F	XL
XX75 Genesis	Standard	F / Legend	Standard / F	Small
XX75 Jazz	XS	Legend	Swedge	Small
XX75 Magnum X Bow	Large	Half Moon or Flat	Crossbow	Large
XX75 Platium Plus	Large	Blazer / Signature / F	Standard	Large
XX75 Tribute	Standard	Legend	Swedge	Small
23/64	Large	Blazer / Signature / F (bushing)	Standard / F	Small
27/64	XL	Blazer / Signature / F (bushing)	Standard / F	XL

Victory**Wrap****Nock****Tower Jig Post****Tower Jig Ring**

Ares	Standard	Blazer / Signature	Standard	Small
Performance Junior	Standard	Blazer / Signature	Standard	Small
Pink Arrow Proj	Standard	Blazer / Signature	Standard	Small
Rip	Small	A Nock	A Nock	Small
Rip Camo	Small	A Nock	A Nock	Small
VAP	XS	F Nock	F Nock	Small
VAP Camo	XS	F Nock	F Nock	Small
VAP Pink	XS	F Nock	F Nock	Small
VAP VooDoo	XS	N/A	Swedge	Small
Venus	Standard	Blazer / Signature	Standard	Small
VForce	Standard	Blazer / Signature	Standard	Small
VForce Camo	Standard	Blazer / Signature	Standard	Small
VForce HV	Standard	Blazer / Signature	Standard	Small
VForce JR	XS	Blazer / Signature	Standard	Small
VForce Pink	Standard	Blazer / Signature	Standard	Small
VX23	Large	Pin Nock	Pin Nock	Large
VX25	Large	Pin Nock	Pin Nock	Large
VX27	XL	Pin Nock	Pin Nock	XL
X-Killer	XL	Pin Nock	Pin Nock	XL
Xbolt	Large	.303 Half Moon	Crossbow	Large

SHOOTING STAFF



Alberto (Rolly) Simonelli (Italy)



Al O'Brien (Canada)



Art Brown



Cameron Hanes



Cara Kelly



Charly Egger (Austria)



Curt Wells



Dan Staton



Danny Evans



Dave Tappen



Fabien Delobelle (France)



Gina Brunson



Irene Franchini (Italy)



Jace Bauserman



Jeff Helm



Jon Brunson



Jon Yokley



Juha Kylma (Finland)



Kailey Johnston



Kirk Clark



Logan Beckstrand



Nicole Larson



Otsuka Tadatsugu (Japan)



Pedro Ampuero



Ray Young



Sebastian Arenas Diaz (Colombia)



Sebastien Denayer (Belgium)



Sharon Carpenter



Tom Nelson



Tony Peres



7361 N. 7 MILE RD., LAKE CITY, MI 49651