

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Date of issue: 06 June 2016 Revision date: 18 January 2019 Supersedes: 06 June 2019

Version: 4.0

SECTION 1: Identification						
1.1. Identification						
Product form	m : Mixture					
Trade name	: Ferr-L-Tite					
1.2. Relevant identified uses of the su	I.2. Relevant identified uses of the substance or mixture and uses advised against					
Use of the substance/mixture	: Gluing inserts in carbon, cedar, aluminum and fiberglass arrow shafts					
1.3. Details of the supplier of the safe	ety data sheet					
Manufacturer:						
Bohning Company Ltd.	hning Company Ltd.					
7361 North Seven Mile Road						
Lake City, MI 49651						
Tel: 231-229-4247						
1.4. Emergency telephone number Emergency number	: HAZMAT +1-800-373-7542 (24 hours)					
Emergency number	HAZMAT + 1-600-575-7542 (24 hours) HAZMAT (International Shipments) +1-484-951-2432 (24 hours)					
SECTION 2: Horard(c) identification						
SECTION 2: Hazard(s) identification 2.1. Classification of the substance of						
	n mixture					
GHS-US classification						
Not classified						
2.2. Label elements						
GHS-US labelling						
No labelling applicable						
2.3. Other hazards						
other hazards which do not result in classification	: Risk of thermal burns on contact with molten product.					
2.4. Unknown acute toxicity (GHS US						
Not applicable						
SECTION 3: Composition/informa	tion on ingredients					
3.1. Substance						
Not applicable						
3.2. Mixture						
This mixture does not contain any substances	s to be mentioned according to the criteria of section 3.2 of HazCom 2012					
SECTION 4: First aid measures						
4.1. Description of first aid measures						
First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Caution! Hot molten mass. After contact with molten product, cool skin area rapidly with cold water.					
First-aid measures after inhalation	: Assure fresh air breathing. Allow the victim to rest.					
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. After contact with molten product, cool skin area rapidly with cold water. Burns caused by molten material must be treated clinically.					
First-aid measures after eye contact	 In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Obtain medical attention if pain, blinking or redness persists. 					
First-aid measures after ingestion	 Rinse mouth. Obtain emergency medical attention. Do not induce vomiting unless directed to do so by medical personnel. 					

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

0				
4.2.	Most important symptoms and effe	ects, both acute and delayed		
Symptoms/injuries :		Not expected to present a significant hazard under anticipated conditions of normal use. Risk of thermal burns on contact with molten product.		
Symptoms/injuries after skin contact :		: Risk of thermal burns on contact with molten product.		
Symptoms/injuries after eye contact :		Vapors from molten wax may cause irritation and tearing. Risk of thermal burns on contact with molten product.		
Sympto	ms/injuries after ingestion	May cause severe gastric distress.		
4.3.	4.3. Indication of any immediate medical attention and special treatment needed			
Treat sy	mptomatically.			
SECT	ION 5: Firefighting measures			
5.1.	Extinguishing media			
Suitable	e extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.		
Unsuitable extinguishing media		Do not use a heavy water stream. Do not use a solid stream of water on molten adhesive to avoid splattering and spreading of fire.		
5.2.	Special hazards arising from the se	ubstance or mixture		
Fire hazard		: Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.		
Explosion hazard		: No direct explosion hazard.		
Reactivity :		No dangerous reactions known under normal conditions of use.		
5.3.	Advice for firefighters			
Precaut	tionary measures fire	: Caution! Hot molten mass. Do not use a solid stream of water on molten adhesive to avoid splattering and spreading of fire.		
Firefighting instructions :		: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent firefighting water from entering the environment.		
Protective equipment for firefighters :		: Do not enter fire area without proper protective equipment, including respiratory protection. Wear positive pressure air supplied respirator if required by safe entry procedures.		
SECT	ION 6: Accidental release mea	asures		
6.1.	Personal precautions, protective e	quipment and emergency procedures		
6.1.1.	For non-emergency personnel			
Emergency procedures :		: Evacuate unnecessary personnel.		
6.1.2.	For emergency responders			

- Protective equipment : Equip cleanup crew with proper protection. : Ventilate area.
- Emergency procedures

Environmental precautions 6.2.

Methods for cleaning up

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

: Allow spilled material to solidify and scrape up with shovels into a suitable container for recycle or disposal as hazardous waste. . On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials. It is the responsibility of the user to determine if disposal material is hazardous according to federal, state and local regulations.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling	: Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not breathe vapor or spray.			
7.2. Conditions for safe storage, including any incompatibilities				
Technical measures	: Ensure adequate ventilation of the storage area.			
Storage conditions	: Keep only in the original container in a cool well ventilated place. Keep container closed when not in use. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Protect against direct sunlight.			

Other information

Incompatible materials	: Strong acids, bases. Strong oxidizers.		
Heat and ignition sources	: Remove all sources of ignition.		
SECTION 8: Exposure controls	/personal protection		
8.1. Control parameters			
No additional information available			
8.2. Exposure controls			
Appropriate engineering controls	: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation.		
Personal protective equipment	: Avoid all unnecessary exposure. The following pictograms represent the minimum requirements for personal protective equipment. Gloves. Protective clothing. Safety glasses.		
Hand protection	: Wear protective gloves.		
Eye protection	: Chemical goggles or safety glasses. Face-shield.		
Skin and body protection	: Wear work clothes with long sleeves. For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes).		
Respiratory protection	: Wear appropriate mask.		
Thermal hazard protection	: Wear heat resistant boots and protective clothing when handling material at elevated temperatures.		
Environmental exposure controls	: Avoid release to the environment.		

: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	d chemical properties
Physical state	: Solid
Color	: amber
Odor	: characteristic
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Negligible in water. Water: <0.1%
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases. And with (strong) oxidizers.

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide. Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

· · · · · · · · · · · · · · · · · · ·	
Likely routes of exposure	: Ingestion; Inhalation; Skin and eyes contact
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after skin contact	: Risk of thermal burns on contact with molten product.
Symptoms/injuries after eye contact	: Vapors from molten wax may cause irritation and tearing. Risk of thermal burns on contact with molten product.
Symptoms/injuries after ingestion	: May cause severe gastric distress.

SECTION 12: Ecological information

	ert iz. zeelegiear mermation			
12.1.	Toxicity			
No addit	ional information available			
12.2.	Persistence and degradability			
Ferr-L-Tite				
Persist	ence and degradability	Not established.		
12.3.	Bioaccumulative potential			
Ferr-L-	Ferr-L-Tite			
Bioacc	umulative potential	Not established.		
12.4.	Mobility in soil			
No addit	ional information available			
12.5.	Other adverse effects			
Other inf	ormation	: Avoid release to the environment.		
SECTI	ON 13: Disposal considerations			
13.1.	Waste treatment methods			
Waste di	sposal recommendations	Dispose in a safe manner in accordance with local/national regulations. It is the responsibility of		

 ations
 Dispose in a safe manner in accordance with local/national regulations. It is the responsibility of the user to determine if disposal material is hazardous according to federal, state and local regulations.

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Additional information	This information of RCRA waste classification and disposal methodology provided below applies only to the BOHNING Products, as supplied. If the material has been altered on contaminated, or it has exceeded its recommended shelf life, the guidance may be inapplicable. Hazardous waste classification under federal regulations (40 CFR part 261 et seq.) is dependent upon whether a material is a RCRA listed hazardous waste or has any of the four RCRA hazardous waste characteristics Refer to 40 CFR Part 261.33 to determine if a given material to be disposed of is a RCRA listed hazardous waste, information contained in Section 15 of this MSDS is not intended to indicated if the product is a listed hazardous waste. RCRA Hazardous Waste have four characteristics defined in 40 CFR Section 261.21-61.24: Ignitability, Corrosivity, Reactivity, and Toxicity. To determine Ignitability, see Section 5 of this MSDS (Flash Point). For Corrosivity, see Section 9 and 14 (pH and DOT Corrosivity). For Reactivity, see Section 10 (incompatible materials). For Toxicity, see Section 3 and 12 (Composition, Ecological Hazards). Federal regulations are subject to change. State and local requirements, which may differ from or be more stringent than the federal regulations, may also apply to the classification of the material if it is to be disposed. Bohning encourages the recycle, recovery and reuse of materials, where permitted, as an alternate to disposal as a waste. Bohning recommends that organic materials classified as RCRA hazardous wastes be disposed of by thermal treatment or incineration at an EPA approved facilities. Bohning has proved the foregoing for information only; the person generating the waste is responsible for determining the waste classification and disposal method.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)			
Not regulated			
TDG			
Not regulated			
Transport by sea			
Not regulated			
Air transport			
Not regulated			
SECTION 15: Regulatory informatio	n		
15.1. US Federal regulations			
No additional information available			
15.2. International regulations			
CANADA No additional information available			
EU-Regulations			
No additional information available			
National regulations			
No additional information available			
15.3. US State regulations No additional information available			
SECTION 16: Other information			
Revision date	: 06 June 2016		
Other information	: None.		
Indication of changes:			
3	Composition/information on ingredients	Modified	

SDS US (GHS HazCom 2012) - Red Gray 160531

The conditions of handling, storage, use and disposal of the product covered by this SDS are beyond the control and knowledge of Bohning Archery. Therefore we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product. This SDS meets the requirements specified in 29 CFR 1910.1200. Customers are responsible for compliance with local, state, and federal regulations that may be pertinent in the storage, application, and disposal of this product